



Canada's source for
HIV and hepatitis C
information

La source canadienne
de renseignements sur
le VIH et l'hépatite C

Linkage to care

Evidence briefs

[PositiveLinks](#) – An intensive, time-limited linkage-to-care intervention positively impacts engagement in HIV care

[Linkage to Care Intervention](#) – An intensive, time-limited linkage-to-care intervention positively impacts engagement in HIV care

[Linkage to Care Specialist](#) – A client-centred intervention for people newly diagnosed with HIV is effective at linking people to care

[HIV retention and LTC](#) – American study shows HIV linkage-to-care and retention programs are cost-saving

[Project Engage](#) – Social network approach works to link HIV-positive people into care

[HepTLC](#) – A hepatitis testing and linkage-to-care (HepTLC) initiative reaches those at greatest risk of HCV and HBV infection

[The North Carolina HIV Bridge Counselor Program](#) – A state-wide intervention (USA) shows success in linking people newly diagnosed with HIV to care and in re-engaging people in HIV care

[Care re-engagement and retention](#) – Use of a part-time outreach coordinator can help to re-engage and retain clients in care

Program models

Produced By:



Canada's source for
HIV and hepatitis C
information

555 Richmond Street West, Suite 505, Box 1104
Toronto, Ontario M5V 3B1 Canada
Phone: 416.203.7122
Toll-free: 1.800.263.1638
Fax: 416.203.8284
www.catie.ca
Charitable registration number: 13225 8740 RR

Disclaimer

Decisions about particular medical treatments should always be made in consultation with a qualified medical practitioner knowledgeable about HIV- and hepatitis C-related illness and the treatments in question.

CATIE provides information resources to help people living with HIV and/or hepatitis C who wish to manage their own health care in partnership with their care providers. Information accessed through or published or provided by CATIE, however, is not to be considered medical advice. We do not recommend or advocate particular treatments and we urge users to consult as broad a range of sources as possible. We strongly urge users to consult with a qualified medical practitioner prior to undertaking any decision, use or action of a medical nature.

CATIE endeavours to provide the most up-to-date and accurate information at the time of publication. However, information changes and users are encouraged to ensure they have the most current information. Users relying solely on this information do so entirely at their own risk. Neither CATIE nor any of its partners or funders, nor any of their employees, directors, officers or volunteers may be held liable for damages of any kind that may result from the use or misuse of any such information. Any opinions expressed herein or in any article or publication accessed or published or provided by CATIE may not reflect the policies or opinions of CATIE or any partners or funders.

Information on safer drug use is presented as a public health service to help people make healthier choices to reduce the spread of HIV, viral hepatitis and other infections. It is not intended to encourage or promote the use or possession of illegal drugs.

Permission to Reproduce

This document is copyrighted. It may be reprinted and distributed in its entirety for non-commercial purposes without prior permission, but permission must be obtained to edit its content. The following credit must appear on any reprint: *This information was provided by CATIE (the Canadian AIDS Treatment Information Exchange). For more information, contact CATIE at 1.800.263.1638.*

© CATIE

Production of this content has been made possible through a financial contribution from the Public Health Agency of Canada.

Available online at:
<https://www.catie.ca/en/pc/packages/linkage>