

## Reported cases and rates<sup>1</sup> of chlamydia by province/territory and sex, 1991 to 2010<sup>2</sup>

Centre for Communicable Diseases and Infection Control

Public Health Agency of Canada

Note: Footnotes contain important information for the interpretation of the data within these tables. Review is strongly encouraged.

Data were verified with provinces and territories as of November, 2011.

Year	Sex	Chlamydia														
		NL	PE	NS	NB	QC	ON	MB	SK	AB	BC	YT	NT	NU <sup>3</sup>	Total	
1991	Cases	Male	74	22	395	0	3311	2592	1213	903	0	0	53	272		8835
		Female	518	73	1832	0	9334	8515	3338	2388	0	0	144	776		26918
		Unspecified	2	1	3	0	36	3	0	0	6909	3261	1	0		10216
		Total	594	96	2230	0	12681	11110	4551	3291	6909	3261	198	1048		45969
	Rates	Male	25.5	34.2	87.5	0.0	95.2	50.3	220.5	180.8	0.0	0.0	350.3	850.1		63.6
		Female	179.3	110.8	395.1	0.0	260.3	161.5	596.7	474.4	0.0	0.0	1044.7	2681.9		190.4
Total		102.5	73.7	243.7	0.0	179.5	106.5	410.2	328.2	266.5	96.7	684.8	1720.0		164.0	
1992	Cases	Male	32	43	325	230	2737	2905	865	594	1431	1386	46	217		10811
		Female	417	148	1321	1109	7595	9915	2425	1814	4881	4910	146	682		35363
		Unspecified	1	13	0	0	29	10	0	0	0	138	0	0		191
		Total	450	204	1646	1339	10361	12830	3290	2408	6312	6434	192	899		46365
	Rates	Male	11.0	66.5	71.7	62.0	78.1	55.6	156.7	118.8	107.8	80.1	290.8	662.5		76.9
		Female	144.0	223.5	283.3	293.9	210.5	185.4	432.1	359.8	373.5	282.2	1012.0	2299.7		247.1
Total		77.6	155.9	179.0	178.9	145.7	121.4	295.6	239.8	239.6	185.4	634.9	1440.4		163.4	
1993	Cases	Male	51	24	324	179	2513	3504	859	644	1190	1051	36	246		10621
		Female	412	110	1134	887	7129	10529	2400	1665	4006	4251	130	726		33379
		Unspecified	0	5	1	0	5	8	0	0	3	0	0	0		22
		Total	463	139	1459	1066	9647	14041	3259	2309	5199	5302	166	972		44022
	Rates	Male	17.6	36.7	71.3	48.1	71.2	66.4	154.9	128.5	88.4	59.0	225.0	738.0		74.7
		Female	142.1	164.2	241.8	234.8	196.2	194.5	425.6	329.2	302.3	237.3	889.4	2402.8		230.5
Total		79.8	105.0	158.0	142.2	134.6	131.3	291.4	229.3	194.7	148.5	542.1	1529.5		153.4	
1994	Cases	Male	60	22	392	174	2043	3257	815	665	1164	1126	37	251		10006
		Female	296	85	1052	743	5783	10196	2260	1832	3845	4217	116	751		31176
		Unspecified	0	2	2	0	11	12	0	0	1	25	0	0		53
		Total	356	109	1446	917	7837	13465	3075	2497	5010	5368	153	1002		41235
	Rates	Male	20.9	33.3	86.1	46.7	57.5	61.0	146.3	132.3	85.4	61.4	235.8	734.8		69.6
		Female	102.9	125.6	223.4	196.4	158.2	185.9	398.8	361.2	286.5	228.3	808.2	2422.7		212.8
Total		61.9	81.5	156.1	122.1	108.7	124.4	273.6	247.3	185.2	145.8	509.2	1537.8		142.0	
1995	Cases	Male	45	27	282	164	1759	2931	782	612	1167	1057	34	225		9085
		Female	227	85	884	598	5276	9154	2226	1737	3851	3602	122	689		28451
		Unspecified	0	0	1	0	11	2	0	0	0	1	0	0		15
		Total	272	112	1167	762	7046	12087	3008	2349	5018	4660	156	914		37551
	Rates	Male	15.9	40.8	61.9	44.0	49.5	54.3	139.8	121.4	84.8	56.1	216.8	1044.4		62.6
		Female	79.8	124.5	187.2	158.0	144.0	164.8	390.8	340.6	283.6	190.3	826.7	3464.4		192.2
Total		47.9	83.3	125.7	101.5	97.6	110.4	266.4	231.6	183.5	123.4	512.4	2206.0		128.2	

## Reported cases and rates<sup>1</sup> of chlamydia by province/territory and sex, 1991 to 2010<sup>2</sup>

Centre for Communicable Diseases and Infection Control

Public Health Agency of Canada

Note: Footnotes contain important information for the interpretation of the data within these tables. Review is strongly encouraged.

Data were verified with provinces and territories as of November, 2011.

Year	Sex	Chlamydia														
		NL	PE	NS	NB	QC	ON	MB	SK	AB	BC	YT	NT	NU <sup>3</sup>	Total	
1996	Cases	Male	60	34	200	168	1640	2578	598	659	1183	917	39	241		8317
		Female	219	97	873	665	5006	8025	1961	1577	3685	3191	105	658		26062
		Unspecified	0	0	1	0	9	2	0	0	0	8	0	0		20
		Total	279	131	1074	833	6655	10605	2559	2236	4868	4116	144	899		34399
1996	Rates	Male	21.5	50.6	43.8	44.9	45.7	47.1	106.3	129.9	84.5	47.4	234.1	681.1		56.6
		Female	77.9	140.6	184.0	175.4	135.8	142.5	342.8	307.8	267.0	163.8	687.3	2044.4		174.0
		Unspecified	0	0	1	0	9	2	0	0	0	8	0	0		20
		Total	49.8	96.2	115.3	110.6	91.5	95.5	225.6	219.3	175.1	106.0	450.9	1330.5		115.9
1997	Cases	Male	57	39	241	191	1608	2807	601	716	1101	1002	34	317		8714
		Female	278	100	885	625	4758	7750	1986	1601	3446	3110	139	728		25406
		Unspecified	0	0	1	3	14	2	0	0	0	4	0	0		24
		Total	335	139	1127	819	6380	10559	2587	2317	4547	4116	173	1045		34144
1997	Rates	Male	20.7	57.8	52.6	51.0	44.6	50.6	106.6	140.8	77.0	50.8	202.4	894.0		58.7
		Female	99.9	144.1	185.9	164.4	128.6	135.9	346.7	311.7	244.8	156.4	900.4	2255.4		167.8
		Unspecified	0	0	1	3	14	2	0	0	0	4	0	0		24
		Total	60.5	101.6	120.6	108.6	87.4	93.9	227.6	226.7	160.3	103.9	536.6	1542.8		113.9
1998	Cases	Male	81	34	271	224	1982	3727	804	787	1361	1340	53	377		11041
		Female	294	110	938	735	5268	8724	2148	1612	3834	3422	124	747		27956
		Unspecified	0	0	7	0	14	7	2	0	0	7	0	0		37
		Total	375	144	1216	959	7264	12458	2954	2399	5195	4769	177	1124		39034
1998	Rates	Male	29.9	50.5	59.0	60.0	54.9	66.4	142.5	154.5	92.8	67.4	323.5	1070.6		73.7
		Female	107.0	158.1	196.6	193.4	142.0	151.2	374.4	312.8	266.2	170.3	819.1	2315.2		183.1
		Unspecified	0	0	7	0	14	7	2	0	0	7	0	0		37
		Total	68.8	105.2	129.9	127.3	99.2	109.4	259.6	234.1	178.7	119.3	561.5	1665.7		129.0
1999	Cases	Male	98	43	296	323	2136	4220	865	871	1472	1504	49	410		12287
		Female	335	105	1055	813	5813	9030	2102	1785	3944	3895	127	809		29813
		Unspecified	0	0	13	0	19	6	0	0	0	3	0	0		41
		Total	433	148	1364	1136	7968	13256	2967	2656	5416	5402	176	1219		42141
1999	Rates	Male	36.6	63.6	64.2	86.5	58.9	74.3	152.7	170.9	98.5	75.1	305.4	1161.2		81.4
		Female	122.8	149.9	220.3	213.4	156.1	154.6	365.0	346.0	269.1	192.2	847.2	2485.3		193.6
		Unspecified	0	0	13	0	19	6	0	0	0	3	0	0		41
		Total	80.1	107.6	145.1	150.6	108.4	115.0	259.7	259.0	183.0	134.1	567.0	1796.4		138.2
2000	Cases	Male	103	69	298	327	2199	4799	967	968	1705	1691	45	140	228	13539
		Female	451	162	1103	916	6461	9796	2296	1968	4296	4498	101	344	476	32868
		Unspecified	0	0	4	0	18	8	0	0	0	2	0	0	0	32
		Total	554	231	1405	1243	8678	14603	3263	2936	6001	6191	146	484	704	46439
2000	Rates	Male	38.7	101.8	64.6	87.5	60.4	83.3	170.2	190.8	112.3	83.9	285.3	662.6	1591.2	88.9
		Female	166.4	230.4	229.7	240.2	172.9	165.5	397.4	382.4	288.2	220.1	682.1	1739.4	3636.4	211.6
		Unspecified	0	0	4	0	18	8	0	0	0	2	0	0	0	32
		Total	103.1	167.3	149.3	164.6	117.6	125.0	284.7	287.3	199.4	152.5	477.4	1183.2	2567.6	150.9
2001	Cases	Male	130	41	368	312	2884	5428	930	1060	1950	1729	39	163	208	15242
		Female	463	109	1232	889	7307	10779	2330	2042	4513	4209	92	370	393	34728
		Unspecified	0	0	3	1	23	10	1	68	0	0	1	0	0	107
		Total	593	150	1603	1202	10214	16217	3261	3170	6463	5938	132	533	601	50077
2001	Rates	Male	50.5	61.5	80.6	84.2	79.1	92.3	162.9	213.1	126.2	85.5	254.2	771.0	1416.9	99.2
		Female	174.8	155.8	258.8	234.4	194.9	179.1	401.4	406.1	298.4	205.0	621.0	1877.9	2921.1	221.9
		Unspecified	0	0	3	1	23	10	1	68	0	0	1	0	0	107
		Total	113.6	109.8	171.9	160.3	138.1	136.3	283.2	316.9	211.3	145.7	437.7	1305.0	2136.2	161.4

## Reported cases and rates<sup>1</sup> of chlamydia by province/territory and sex, 1991 to 2010<sup>2</sup>

Centre for Communicable Diseases and Infection Control

Public Health Agency of Canada

Note: Footnotes contain important information for the interpretation of the data within these tables. Review is strongly encouraged.

Data were verified with provinces and territories as of November, 2011.

Year	Sex	Chlamydia														
		NL	PE	NS	NB	QC	ON	MB	SK	AB	BC	YT	NT	NU <sup>3</sup>	Total	
2002	Cases	Male	107	42	330	369	3053	6191	977	1280	2249	2333	48	198	274	17451
		Female	415	103	1241	944	7975	11905	2391	2333	5112	5316	93	402	546	38776
		Unspecified	0	0	3	0	27	5	3	0	0	1	0	0	0	39
		Total	522	145	1574	1313	11055	18101	3371	3613	7361	7650	141	600	820	56266
	Rates	Male	41.8	62.9	72.1	99.8	83.1	103.6	170.3	258.5	142.1	114.8	310.6	917.2	1828.9	112.3
		Female	157.4	147.0	259.9	248.7	211.6	194.7	410.1	465.1	330.7	257.3	623.9	2002.2	3945.9	245.1
Total		100.5	105.9	168.3	175.2	148.6	149.7	291.5	362.5	235.3	186.7	464.5	1440.1	2845.3	179.5	
2003	Cases	Male	119	52	382	408	3421	6737	1112	1345	2481	2501	53	179	220	19010
		Female	523	134	1162	974	8774	12335	2576	2404	5421	5631	127	367	515	40943
		Unspecified	0	0	8	0	17	4	0	0	0	1	0	0	0	30
		Total	642	186	1552	1382	12212	19076	3688	3749	7902	8133	180	546	735	59983
	Rates	Male	46.6	77.6	83.4	110.5	92.5	111.4	192.6	271.9	154.1	122.4	336.3	810.5	1448.2	121.3
		Female	198.9	190.8	242.4	256.2	231.6	199.2	439.3	479.1	344.6	270.8	835.4	1792.4	3645.0	256.5
Total		123.8	135.5	165.5	184.4	163.1	155.8	316.9	376.2	248.2	197.3	581.3	1282.9	2506.8	189.6	
2004	Cases	Male	168	55	395	400	3615	7386	1389	1288	2741	2787	71	206	354	20855
		Female	623	143	1194	961	9212	13029	2804	2320	5597	6026	126	373	735	43143
		Unspecified	0	0	2	0	15	19	2	1	0	1	0	0	0	40
		Total	791	198	1591	1361	12842	20434	4195	3609	8338	8814	197	579	1089	64038
	Rates	Male	65.9	81.8	86.1	108.4	97.0	120.7	238.4	260.3	167.1	135.4	442.5	917.4	2284.6	131.8
		Female	237.5	203.1	248.3	252.6	241.8	207.8	474.6	461.6	349.9	287.4	816.8	1789.3	5118.7	267.7
Total		152.9	143.8	169.4	181.6	170.4	164.9	357.5	361.8	257.4	212.1	625.9	1337.2	3647.8	200.5	
2005	Cases	Male	155	48	470	438	3753	8031	1453	1389	2971	2980	55	287	371	22401
		Female	495	135	1264	1059	8931	13874	2444	2505	5861	6166	136	441	734	44045
		Unspecified <sup>4</sup>	0	0	11	1	30	14	0	0	0	1	0	0	0	57
		Total	650	183	1745	1498	12714	21919	3897	3894	8832	9147	191	728	1105	66503
	Rates	Male	61.1	71.1	102.9	119.1	100.1	129.8	248.2	282.0	176.5	143.3	337.9	1271.9	2359.2	140.2
		Female	189.8	191.4	262.8	278.6	233.1	218.8	412.2	500.0	357.5	291.2	870.3	2116.7	5026.7	270.8
Total		126.4	132.6	186.0	200.3	167.7	175.0	330.7	391.9	265.8	218.0	598.7	1677.5	3643.5	206.2	
2006	Cases	Male	107	52	453	374	3814	8236	1601	1577	3573	3051	46	267	417	23568
		Female	440	117	1304	952	9001	14203	2643	2678	6879	6180	123	429	743	45692
		Unspecified <sup>4</sup>	0	0	5	0	40	12	0	0	0	5	0	0	0	62
		Total	547	169	1762	1326	12855	22451	4244	4255	10452	9236	169	696	1160	69322
	Rates	Male	42.6	77.0	99.3	102.1	101.0	131.7	272.0	320.9	205.7	145.1	278.6	1187.9	2453.0	145.8
		Female	169.9	166.3	270.7	250.9	233.6	221.5	443.9	534.8	408.4	288.6	780.3	2070.3	4959.7	278.1
Total		107.2	122.5	187.8	177.8	168.4	177.3	358.4	428.9	305.5	217.6	523.6	1611.2	3665.7	212.7	
2007	Cases	Male	104	61	474	340	4108	8559	1992	1588	3850	3374	83	317	402	25252
		Female	406	111	1310	846	9329	14755	3595	2811	7344	6678	154	444	825	48608
		Unspecified <sup>4</sup>	0	0	4	1	56	9	0	0	0	5	1	0	2	78
		Total	510	172	1788	1187	13493	23323	5587	4399	11194	10057	238	761	1229	73938
	Rates	Male	0.0	90.3	104.3	92.9	107.9	135.6	335.5	320.5	215.2	158.0	499.4	1402.3	2441.6	154.0
		Female	0.0	157.2	272.1	222.9	240.3	227.7	599.0	556.9	426.0	307.2	964.6	2120.4	5324.7	290.1
Total		100.7	124.5	191.0	159.2	175.5	182.3	467.9	439.8	318.6	233.4	730.4	1747.6	3843.4	224.4	

## Reported cases and rates<sup>1</sup> of chlamydia by province/territory and sex, 1991 to 2010<sup>2</sup>

Centre for Communicable Diseases and Infection Control

Public Health Agency of Canada

Note: Footnotes contain important information for the interpretation of the data within these tables. Review is strongly encouraged.

Data were verified with provinces and territories as of November, 2011.

Year	Sex	Chlamydia														
		NL	PE	NS	NB	QC	ON	MB	SK	AB	BC	YT	NT	NU <sup>3</sup>	Total	
2008	Cases	Male	153	43	535	345	4625	9196	2352	1834	4147	3659	88	343	454	27774
		Female	443	115	1497	897	10389	17017	4569	3368	7906	7031	149	527	858	54766
		Unspecified <sup>4</sup>	0	0	0	0	23	48	0	0	0	7	0	0	2	80
		Total	596	158	2032	1242	15037	26261	6921	5202	12053	10697	237	870	1314	82620
	Rates	Male	61.6	63.2	117.6	94.1	120.5	144.1	391.9	364.9	226.0	168.3	519.6	1514.0	2818.1	168.1
		Female	171.8	161.1	310.7	235.8	265.4	259.6	753.9	659.1	448.9	318.1	917.8	2501.8	5745.6	326.0
		Total	117.7	113.3	217.0	166.2	193.9	203.0	573.8	513.2	335.2	244.0	714.5	1989.9	4231.1	248.0
2009	Cases	Male	124	74	537	483	4901	10071	2188	1654	4509	3885	70	387	436	29319
		Female	406	128	1457	1086	10953	18638	4100	3182	8994	7304	145	629	780	57802
		Unspecified <sup>4</sup>	0	0	0	0	26	51	0	3	0	7	0	0	0	87
		Total	530	202	1994	1569	15880	28760	6288	4839	13503	11196	215	1016	1216	87208
	Rates	Male	49.7	107.4	117.8	131.3	126.3	156.4	360.5	323.3	240.4	175.6	407.4	1712.5	2613.6	175.3
		Female	156.8	177.3	301.5	284.7	277.4	281.3	669.3	614.8	500.9	324.9	880.4	2984.7	5028.4	340.1
		Total	104.3	143.2	212.3	209.4	202.9	220.1	515.6	470.2	367.9	251.0	638.9	2326.4	3777.1	258.6
2010	Cases	Male	162	58	609	566	5396	11785	2258	1762	4557	3983	83	359	487	32065
		Female	482	155	1627	1258	11896	21658	4117	3298	8575	7878	147	554	906	62551
		Unspecified <sup>4</sup>	0	0	1	1	30	35	0	1	0	6	0	0	0	74
		Total	644	213	2237	1825	17322	33478	6375	5061	13132	11867	230	913	1393	94690
	Rates	Male	64.8	83.4	133.1	153.4	137.6	181.0	367.1	338.5	239.8	177.3	471.0	1586.6	2835.2	189.5
		Female	185.5	213.1	335.5	328.6	298.4	323.2	663.7	628.1	471.0	344.9	869.6	2621.6	5647.3	363.8
		Total	126.3	149.7	237.3	242.8	219.1	253.4	516.0	484.0	352.9	261.9	666.2	2086.4	4193.3	277.6

<sup>1</sup> Rate per 100,000 population. Population estimates provided by Statistics Canada. (Source: Statistics Canada, Demography Division, Demographic Estimates Section, July Population Estimates, 1997-2005 final intercensal estimates, 2006-2007 final postcensal estimates, 2008-2009 updated postcensal estimates, 2010 preliminary postcensal estimates.)

<sup>2</sup> 2010 data are preliminary and changes are anticipated. Data were verified with provinces and territories as of November, 2011.

<sup>3</sup> Nunavut did not officially become a territory until 1999; prior to 1999, data for Nunavut was combined with Northwest Territories.

<sup>4</sup> Unspecified sex includes transgender cases.

**Source:** Centre for Communicable Diseases and Infection Control, Public Health Agency of Canada, 2012.

**Note:** Small variability may exist between data reported by the provinces/territories and the Public Health Agency of Canada. Provincial/territorial data are definitive should a discrepancy exist.

# Reported cases and rates<sup>1</sup> of chlamydia by age group and sex, 1991 to 2010<sup>2</sup>

Centre for Communicable Diseases and Infection Control

Public Health Agency of Canada

Note: Footnotes contain important information for the interpretation of the data within these tables. Review is strongly encouraged.

Data were verified with provinces and territories as of November, 2011.

Year	Sex	Chlamydia												
		Age group (years)											NS	Total
		<1	1-4	5-9	10-14	15-19	20-24	25-29	30-39	40-59	60+			
1991	Cases	Male	9	5	1	37	1753	3480	1853	1141	334	22	200	8835
		Female	17	13	12	530	10259	9489	3657	1926	410	26	579	26918
		Unspecified	0	0	0	1	8	10	5	0	1	0	10191	10216
		Total	26	18	13	568	12020	12979	5515	3067	745	48	10970	45969
	Rates	Male	4.3	0.6	0.1	3.8	176.9	327.6	145.9	46.2	10.4	1.1		63.6
		Female	8.6	1.7	1.3	57.3	1095.1	925.0	295.6	78.4	12.9	1.0		190.4
		Total	6.4	1.2	0.7	29.9	623.4	621.6	220.0	62.2	11.7	1.1		164.0
1992	Cases	Male	24	7	3	32	2047	4290	2122	1423	400	34	429	10811
		Female	23	16	14	605	13235	12466	4550	2407	526	58	1463	35363
		Unspecified	0	1	0	0	9	18	6	3	0	1	153	191
		Total	47	24	17	637	15291	16774	6678	3833	926	93	2045	46365
	Rates	Male	11.6	0.9	0.3	3.2	206.6	406.8	172.4	56.6	12.2	1.7		76.9
		Female	11.7	2.1	1.5	64.5	1412.1	1225.6	378.7	96.3	16.1	2.3		247.1
		Total	11.7	1.5	0.9	33.0	793.0	809.7	274.6	76.4	14.1	2.1		163.4
1993	Cases	Male	9	4	6	51	2077	4132	2250	1490	451	27	124	10621
		Female	18	11	11	600	12744	12012	4558	2542	500	40	343	33379
		Unspecified	0	0	0	0	4	1	2	3	0	0	12	22
		Total	27	15	17	651	14825	16145	6810	4035	951	67	479	44022
	Rates	Male	4.5	0.5	0.6	5.1	208.9	395.3	189.9	58.1	13.3	1.3		74.7
		Female	9.4	1.4	1.2	63.0	1355.0	1194.2	394.4	100.0	14.8	1.6		230.5
		Total	6.9	0.9	0.9	33.3	766.2	787.2	291.0	79.0	14.1	1.5		153.4
1994	Cases	Male	20	2	4	33	1914	3859	2022	1544	460	38	110	10006
		Female	27	13	13	577	11567	11282	4165	2669	589	40	234	31176
		Unspecified	0	0	0	0	5	16	9	5	0	0	18	53
		Total	47	15	17	610	13486	15157	6196	4218	1049	78	362	41235
	Rates	Male	10.1	0.2	0.4	3.2	190.0	372.7	177.0	59.4	13.2	1.9		69.6
		Female	14.4	1.6	1.4	59.8	1215.5	1131.8	373.6	103.8	16.8	1.5		212.8
		Total	12.2	0.9	0.9	30.8	688.4	745.9	274.5	81.6	15.0	1.7		142.0
1995	Cases	Male	24	6	3	21	1721	3478	1848	1484	398	33	69	9085
		Female	32	5	10	466	10704	10496	3745	2312	459	31	191	28451
		Unspecified	0	0	0	0	2	2	1	0	1	0	9	15
		Total	56	11	13	487	12427	13976	5594	3796	858	64	269	37551
	Male	12.2	0.7	0.3	2.0	168.7	338.5	166.4	56.6	11.0	1.6		62.6	

# Reported cases and rates<sup>1</sup> of chlamydia by age group and sex, 1991 to 2010<sup>2</sup>

Centre for Communicable Diseases and Infection Control

Public Health Agency of Canada

Note: Footnotes contain important information for the interpretation of the data within these tables. Review is strongly encouraged.

Data were verified with provinces and territories as of November, 2011.

Year	Sex	Chlamydia												
		Age group (years)											NS	Total
		<1	1-4	5-9	10-14	15-19	20-24	25-29	30-39	40-59	60+			
Rates	Female	17.2	0.6	1.0	47.9	1111.1	1060.2	345.4	89.4	12.6	1.2		192.2	
	Total	14.7	0.7	0.7	24.4	626.4	692.7	254.9	72.9	11.8	1.4		128.2	
Cases	Male	9	1	0	23	1524	3128	1745	1372	436	22	57	8317	
	Female	14	9	14	435	9752	9439	3549	2134	530	26	160	26062	
	Unspecified	0	0	0	0	6	5	1	2	0	0	6	20	
	Total	23	10	14	458	11282	12572	5295	3508	966	48	223	34399	
Rates	Male	4.6	0.1	0.0	2.2	147.2	305.5	159.6	52.3	11.7	1.0		56.6	
	Female	7.5	1.2	1.4	44.5	997.1	956.7	331.7	82.6	14.1	1.0		174.0	
	Total	6.0	0.6	0.7	22.8	560.5	625.3	244.7	67.3	12.9	1.0		115.9	
Cases	Male	7	0	0	18	1510	3260	1783	1559	484	21	72	8714	
	Female	15	3	10	378	9588	9170	3458	2103	512	33	136	25406	
	Unspecified	1	0	0	0	4	4	1	0	1	0	13	24	
	Total	23	3	10	396	11102	12434	5242	3662	997	54	221	34144	
Rates	Male	3.8	0.0	0.0	1.7	144.7	316.1	164.3	59.8	12.5	1.0		58.7	
	Female	8.7	0.4	1.0	38.5	971.3	924.1	325.8	81.9	13.2	1.2		167.8	
	Total	6.5	0.2	0.5	19.6	546.7	614.5	244.2	70.8	12.8	1.1		113.9	
Cases	Male	8	0	3	36	1934	4094	2338	1934	609	32	53	11041	
	Female	12	7	12	413	10599	10087	3857	2299	509	29	132	27956	
	Unspecified	1	0	0	0	4	4	4	2	0	0	22	37	
	Total	21	7	15	449	12537	14185	6199	4235	1118	61	207	39034	
Rates	Male	4.5	0.0	0.3	3.5	183.8	394.1	217.0	75.1	15.2	1.5		73.7	
	Female	7.1	0.9	1.2	42.0	1063.7	1011.8	366.4	90.7	12.7	1.1		183.1	
	Total	6.1	0.5	0.7	22.2	612.0	696.8	291.0	82.9	13.9	1.2		129.0	
Cases	Male	15	3	3	31	1976	4702	2538	2198	722	49	50	12287	
	Female	11	7	9	429	11428	10740	4040	2371	616	20	142	29813	
	Unspecified	0	0	0	0	12	7	3	1	1	0	17	41	
	Total	26	10	12	460	13416	15449	6581	4570	1339	69	209	42141	
Rates	Male	8.7	0.4	0.3	3.0	186.7	446.3	237.0	86.4	17.5	2.2		81.4	
	Female	6.7	1.0	0.9	43.5	1138.3	1064.6	386.1	94.8	14.8	0.7		193.6	
	Total	7.7	0.7	0.6	22.7	650.6	749.1	310.8	90.6	16.2	1.4		138.2	
Cases	Male	11	2	1	30	2335	5013	2786	2366	875	45	75	13539	
	Female	9	6	6	474	12454	11993	4365	2692	708	29	132	32868	
	Unspecified	0	0	0	0	4	9	5	1	1	0	12	32	
	Total	20	8	7	504	14793	17015	7156	5059	1584	74	219	46439	

## Reported cases and rates<sup>1</sup> of chlamydia by age group and sex, 1991 to 2010<sup>2</sup>

Centre for Communicable Diseases and Infection Control

Public Health Agency of Canada

Note: Footnotes contain important information for the interpretation of the data within these tables. Review is strongly encouraged.

**Data were verified with provinces and territories as of November, 2011.**

Year	Sex	Chlamydia											
		Age group (years)											
		<1	1-4	5-9	10-14	15-19	20-24	25-29	30-39	40-59	60+	NS	Total
Rates	Male	6.4	0.3	0.1	2.9	219.4	470.4	260.6	94.2	20.6	2.0		88.9
	Female	5.5	0.8	0.6	47.5	1234.3	1175.7	417.9	109.0	16.6	1.0		211.6
	Total	6.0	0.6	0.3	24.6	713.5	815.7	338.5	101.5	18.6	1.4		150.9

# Reported cases and rates<sup>1</sup> of chlamydia by age group and sex, 1991 to 2010<sup>2</sup>

Centre for Communicable Diseases and Infection Control

Public Health Agency of Canada

Note: Footnotes contain important information for the interpretation of the data within these tables. Review is strongly encouraged.

Data were verified with provinces and territories as of November, 2011.

Year	Sex	Chlamydia												
		Age group (years)											NS	Total
		<1	1-4	5-9	10-14	15-19	20-24	25-29	30-39	40-59	60+			
2001	Cases	Male	14	0	0	38	2545	5769	3172	2636	951	51	66	15242
		Female	26	5	3	503	12905	12716	4755	2872	754	30	159	34728
		Unspecified	0	0	0	1	28	42	16	7	1	0	12	107
		Total	40	5	3	542	15478	18527	7943	5515	1706	81	237	50077
	Rates	Male	8.2	0.0	0.0	3.6	233.9	534.9	301.5	107.1	21.7	2.2		99.2
		Female	16.1	0.7	0.3	49.6	1256.0	1235.1	466.2	118.8	17.1	1.0		221.9
Total		12.1	0.4	0.1	26.1	731.6	878.9	383.3	113.1	19.4	1.6		161.4	
2002	Cases	Male	4	1	1	26	2768	6625	3721	2998	1178	69	60	17451
		Female	8	1	6	537	14109	14461	5368	3297	833	24	132	38776
		Unspecified	0	0	0	1	2	7	4	1	0	0	24	39
		Total	12	2	7	564	16879	21093	9093	6296	2011	93	216	56266
	Rates	Male	2.4	0.1	0.1	2.4	253.1	606.0	352.1	123.5	26.2	2.9		112.3
		Female	5.0	0.1	0.6	52.1	1366.2	1382.4	522.5	138.5	18.4	0.8		245.1
Total		3.7	0.1	0.4	26.7	793.8	986.0	436.2	131.0	22.3	1.7		179.5	
2003	Cases	Male	5	1	0	25	2911	7296	4094	3292	1252	72	62	19010
		Female	14	2	2	570	14778	15451	5663	3458	876	26	103	40943
		Unspecified	0	0	0	1	3	4	3	3	4	0	12	30
		Total	19	3	2	596	17692	22751	9760	6753	2132	98	177	59983
	Rates	Male	3.0	0.1	0.0	2.3	265.9	656.5	385.5	138.7	27.1	2.9		121.3
		Female	8.7	0.3	0.2	54.6	1429.6	1453.3	546.8	148.5	18.8	0.9		256.5
Total		5.8	0.2	0.1	27.9	831.2	1046.3	465.3	143.6	23.0	1.8		189.6	
2004	Cases	Male	8	0	2	23	3142	8089	4543	3386	1526	95	41	20855
		Female	10	3	7	559	15171	16388	6042	3784	1071	47	61	43143
		Unspecified	0	0	0	0	5	11	8	2	2	0	12	40
		Total	18	3	9	582	18318	24488	10593	7172	2599	142	114	64038
	Rates	Male	4.6	0.0	0.2	2.1	284.8	717.0	423.4	145.8	32.2	3.8		131.8
		Female	6.1	0.4	0.8	53.5	1458.0	1518.3	574.9	166.0	22.5	1.5		267.7
Total		5.3	0.2	0.5	27.2	854.5	1109.3	498.8	155.8	27.4	2.5		200.5	
2005	Cases	Male	9	0	1	24	3200	8476	4964	3843	1752	103	29	22401
		Female	14	2	5	528	15110	16858	6428	3850	1148	48	54	44045
		Unspecified <sup>3</sup>	0	0	0	0	6	8	8	2	1	0	32	57
		Total	23	2	6	552	18316	25342	11400	7695	2901	151	115	66503
	Rates	Male	5.2	0.0	0.1	2.2	285.9	742.4	457.9	168.2	36.2	4.0		140.2
		Female	8.5	0.3	0.5	50.9	1429.7	1546.1	603.1	171.6	23.6	1.5		270.8



# Reported cases and rates<sup>1</sup> of chlamydia by age group and sex, 1991 to 2010<sup>2</sup>

Centre for Communicable Diseases and Infection Control

Public Health Agency of Canada

Note: Footnotes contain important information for the interpretation of the data within these tables. Review is strongly encouraged.

Data were verified with provinces and territories as of November, 2011.

Year	Sex	Chlamydia												
		Age group (years)											NS	Total
		<1	1-4	5-9	10-14	15-19	20-24	25-29	30-39	40-59	60+			
2006	Total	6.8	0.1	0.3	26.0	841.7	1135.4	530.2	169.9	29.9	2.6		206.2	
	Cases	Male	10	0	2	27	3385	8801	5117	4145	1933	127	21	23568
		Female	19	6	10	448	15108	17414	7049	4228	1306	57	47	45692
		Unspecified <sup>3</sup>	0	0	0	0	9	11	10	3	2	0	27	62
	Total	29	6	12	475	18502	26226	12176	8376	3241	184	95	69322	
	Rates	Male	5.5	0.0	0.2	2.5	297.6	762.4	464.8	182.8	39.2	4.7		145.8
Female		11.2	0.9	1.1	43.7	1405.0	1585.1	649.6	189.8	26.5	1.8		278.1	
Total		8.3	0.4	0.7	22.7	836.3	1164.3	557.0	186.3	32.8	3.1		212.7	
2007	Cases	Male	19	0	1	37	3671	9371	5620	4292	2075	146	20	25252
		Female	10	2	8	479	16066	18375	7549	4612	1406	64	37	48608
		Unspecified <sup>3</sup>	0	0	0	1	8	12	7	7	3	1	39	78
		Total	29	2	9	517	19745	27758	13176	8911	3484	211	96	73938
	Rates	Male	10.3	0.0	0.1	3.4	317.6	801.7	498.7	188.7	41.6	5.2		154.0
		Female	5.7	0.1	0.9	47.3	1460.2	1644.5	675.9	205.4	28.2	1.9		290.1
Total		8.1	0.1	0.5	24.9	874.1	1213.0	587.0	197.1	34.9	3.4		224.4	
2008	Cases	Male	15	0	1	52	4199	10321	6126	4652	2270	119	19	27774
		Female	10	2	5	506	18261	20106	8631	5422	1719	50	54	54766
		Unspecified <sup>3</sup>	0	0	0	0	15	23	12	5	6	0	19	80
		Total	25	2	6	558	22475	30450	14769	10079	3995	169	92	82620
	Rates	Male	7.9	0.0	0.1	5.0	363.1	879.7	531.4	204.4	45.5	4.1		168.1
		Female	5.5	0.3	0.6	51.5	1660.1	1805.4	760.9	241.1	34.4	1.4		326.0
Total		6.8	0.1	0.3	27.7	995.9	1331.5	645.7	222.7	40.0	2.7		248.0	
2009	Cases	Male	10	2	1	56	4628	10748	6558	4780	2367	148	21	29319
		Female	4	7	15	544	19084	21029	9082	5924	2006	78	29	57802
		Unspecified <sup>3</sup>	0	0	0	0	8	26	26	12	8	0	7	87
		Total	14	9	16	600	23720	31803	15666	10716	4381	226	57	87208
	Rates	Male	5.2	0.3	0.1	5.5	401.5	901.5	553.4	208.8	47.1	4.9		175.3
		Female	2.2	1.0	1.7	56.5	1737.7	1863.4	781.9	261.1	39.9	2.2		340.1
Total		3.7	0.6	0.9	30.4	1053.8	1370.4	667.5	235.1	43.5	3.4		258.6	
2010	Cases	Male	7	0	3	57	4862	11683	7213	5447	2563	192	38	32065
		Female	5	5	12	541	19826	23066	10008	6585	2386	85	32	62551
		Unspecified <sup>3</sup>	0	0	0	0	10	32	11	8	1	0	12	74
		Total	12	5	15	598	24698	34781	17232	12040	4950	277	82	94690
	Rates	Male	3.6	0.0	0.3	5.7	426.5	961.8	595.1	236.4	50.7	6.2		189.5
		Female	2.7	0.7	1.4	57.4	1824.3	2005.5	846.4	287.3	47.1	2.3		363.8

## Reported cases and rates<sup>1</sup> of chlamydia by age group and sex, 1991 to 2010<sup>2</sup>

Centre for Communicable Diseases and Infection Control

Public Health Agency of Canada

Note: Footnotes contain important information for the interpretation of the data within these tables. Review is strongly encouraged.

**Data were verified with provinces and territories as of November, 2011.**

Year	Sex	Chlamydia											
		Age group (years)											Total
		<1	1-4	5-9	10-14	15-19	20-24	25-29	30-39	40-59	60+	NS	
	Total	3.2	0.3	0.8	30.9	1109.1	1470.7	719.7	262.0	48.9	4.1		277.6

<sup>1</sup> Rate per 100,000 population. Population estimates provided by Statistics Canada. (Source: Statistics Canada, Demography Division, Demographic Estimates Section, July Population Estimates, 1997-2005 final intercensal estimates, 2006-2007 final postcensal estimates, 2008-2009 updated postcensal estimates, 2010 preliminary postcensal estimates.)

<sup>2</sup> 2010 data are preliminary and changes are anticipated. Data were verified with provinces and territories as of November, 2011.

<sup>3</sup> Unspecified sex includes transgender cases.

**Source:** Centre for Communicable Diseases and Infection Control, Public Health Agency of Canada, 2012.

**Note:** Small variability may exist between data reported by the provinces/territories and the Public Health Agency of Canada. Provincial/territorial data are definitive should a discrepancy exist.

## Reported cases and rates<sup>1</sup> of gonorrhoea by province/territory and sex, 1980 to 2010<sup>2</sup>

Centre for Communicable Diseases and Infection Control

Public Health Agency of Canada

Note: Footnotes contain important information for the interpretation of the data within these tables. Review is strongly encouraged.

Data were verified with provinces and territories as of November, 2011.

Year	Sex	Gonorrhoea												Total	
		NL	PE / NS	NB	QC	ON	MB	SK	AB	BC	YT	NT	NU <sup>3</sup>		
1980	Cases	Male	476	692	222	2645	9953	2253	1692	7025	6470	215	912		32555
		Female	276	753	101	1936	6093	1831	909	4451	3513	128	494		20485
		Unspecified	40	191	0	0	0	0	0	0	0	0	0		231
		Total	792	1636	323	4581	16046	4084	2601	11476	9983	343	1406		53271
	Rates	Male	164.5	142.4	63.0	82.1	229.9	439.5	347.4	625.7	471.3	1663.8	3737.4		266.6
		Female	97.5	153.5	28.6	58.9	138.0	350.7	189.2	416.1	256.4	1122.1	2256.3		166.5
Total		138.3	167.6	45.7	70.4	183.5	394.7	268.9	523.4	363.9	1409.8	3037.0		217.3	
1981	Cases	Male	485	635	165	3540	10549	2617	1704	7234	5939	291	1178		34337
		Female	307	668	98	2690	6651	2054	991	4453	3168	158	625		21863
		Unspecified	21	109	0	0	0	0	0	0	0	0	0		130
		Total	813	1412	263	6230	17200	4671	2695	11687	9107	449	1803		56330
	Rates	Male	167.2	130.7	46.9	109.4	242.1	510.5	347.2	614.7	420.6	2300.0	4705.4		278.0
		Female	107.8	135.6	27.7	81.3	149.3	392.2	204.3	398.5	224.4	1404.3	2775.3		175.3
Total		141.4	144.3	37.2	95.1	195.2	450.7	276.2	509.4	322.5	1878.4	3791.4		227.0	
1982	Cases	Male	496	631	106	3251	10013	2575	1577	6717	5403	150	1159		32078
		Female	257	626	84	2372	6371	2033	889	4349	3223	108	581		20893
		Unspecified	24	77	0	0	0	0	0	0	0	0	0		101
		Total	777	1334	190	5623	16384	4608	2466	11066	8626	258	1740		53072
	Rates	Male	171.3	129.5	30.0	100.0	227.0	497.1	317.9	554.6	376.5	1158.9	4443.8		256.8
		Female	90.2	126.4	23.6	71.3	141.2	384.5	181.0	375.9	224.2	936.8	2479.3		165.5
Total		135.2	135.8	26.8	85.5	183.6	440.2	249.8	467.3	300.3	1054.3	3514.1		211.3	
1983	Cases	Male	394	564	61	3542	9412	2152	1295	4623	3774	89	1100		27006
		Female	279	594	59	2360	6183	1609	734	3398	2315	58	559		18148
		Unspecified	12	99	0	0	0	0	0	0	0	0	0		111
		Total	685	1257	120	5902	15595	3761	2029	8021	6089	147	1659		45265
	Rates	Male	135.1	114.3	17.1	108.6	210.5	409.7	257.5	379.3	260.3	713.0	4090.6		214.2
		Female	96.9	118.8	16.4	70.6	135.3	300.3	147.1	290.1	159.1	520.9	2316.3		142.3
Total		118.2	126.5	16.8	89.4	172.5	354.5	202.5	335.6	209.6	622.4	3251.4		178.4	

## Reported cases and rates<sup>1</sup> of gonorrhoea by province/territory and sex, 1980 to 2010<sup>2</sup>

Centre for Communicable Diseases and Infection Control

Public Health Agency of Canada

Note: Footnotes contain important information for the interpretation of the data within these tables. Review is strongly encouraged.

Data were verified with provinces and territories as of November, 2011.

Year	Sex	Gonorrhoea												Total	
		NL	PE / NS	NB	QC	ON	MB	SK	AB	BC	YT	NT	NU <sup>3</sup>		
1984	Cases	Male	383	643	139	4197	9119	1897	1198	3897	3334	114	931		25852
		Female	218	684	115	2793	6554	1453	614	2815	2131	77	470		17924
		Unspecified	16	82	0	0	0	0	0	0	0	0	0		98
		Total	617	1409	254	6990	15673	3350	1812	6712	5465	191	1401		43874
	Rates	Male	131.3	128.9	38.8	128.2	201.1	357.4	235.2	320.7	227.0	902.5	3358.9		203.2
		Female	75.6	135.4	31.7	83.2	141.3	268.5	121.3	239.6	144.3	682.5	1891.6		139.1
		Total	106.3	140.3	35.2	105.4	170.9	312.5	178.4	280.8	185.5	798.7	2665.3		171.3
1985	Cases	Male	357	506	243	3749	8462	1813	1209	3175	2819	115	829		23277
		Female	201	677	264	2678	6445	1373	689	2515	2103	76	378		17399
		Unspecified	10	51	0	0	0	0	0	0	0	0	0		61
		Total	568	1234	507	6427	14907	3186	1898	5690	4922	191	1207		40737
	Rates	Male	122.7	100.5	67.5	114.0	184.1	338.2	235.2	260.7	190.2	894.3	2888.3		181.4
		Female	69.7	132.7	72.5	79.3	137.1	251.4	134.7	212.3	140.9	660.6	1470.8		133.7
		Total	98.0	121.8	70.1	96.4	160.3	294.4	185.1	236.8	165.5	784.0	2218.7		157.6
1986	Cases	Male	250	389	263	3322	6872	1715	1073	2588	1984	118	884		19458
		Female	171	563	241	2522	5771	1314	664	2294	1586	68	550		15744
		Unspecified	14	67	2	0	0	0	0	0	0	0	2		85
		Total	435	1019	506	5844	12643	3029	1737	4882	3570	186	1436		35287
	Rates	Male	86.5	77.1	73.0	100.4	147.3	317.0	208.2	210.7	132.7	913.9	3061.7		150.2
		Female	59.5	109.8	66.0	74.2	121.0	238.6	129.2	190.8	105.1	587.8	2129.9		119.7
		Total	75.5	100.1	69.8	87.1	134.0	277.5	168.8	200.8	118.8	759.8	2625.4		135.2
1987	Cases	Male	152	264	268	1973	5077	1585	968	2158	1565	68	677		14755
		Female	102	376	203	1697	4596	1306	816	1949	1355	57	466		12923
		Unspecified	4	8	0	227	0	0	0	0	0	0	1		240
		Total	258	648	471	3897	9673	2891	1784	4107	2920	125	1144		27918
	Rates	Male	52.7	52.1	74.1	59.0	106.5	291.3	187.4	175.4	103.0	502.3	2332.6		112.4
		Female	35.6	72.9	55.4	49.4	94.3	235.8	158.1	161.7	88.5	468.4	1791.3		97.0
		Total	44.9	63.4	64.7	57.5	100.3	263.3	172.7	168.6	95.7	486.2	2078.6		105.6

# Reported cases and rates<sup>1</sup> of gonorrhoea by province/territory and sex, 1980 to 2010<sup>2</sup>

Centre for Communicable Diseases and Infection Control

Public Health Agency of Canada

Note: Footnotes contain important information for the interpretation of the data within these tables. Review is strongly encouraged.

Data were verified with provinces and territories as of November, 2011.

Year	Sex	Gonorrhoea												Total	
		NL	PE / NS	NB	QC	ON	MB	SK	AB	BC	YT	NT	NU <sup>3</sup>		
1988	Cases	Male	89	207	104	1342	4149	1115	669	1285	1119	62	240		10381
		Female	59	359	139	1227	3680	903	601	1272	1015	38	208		9501
		Unspecified	3	0	0	216	0	0	0	0	1	0	0		220
		Total	151	566	243	2785	7829	2018	1270	2557	2135	100	448		20102
	Rates	Male	30.9	40.7	28.7	39.8	85.3	204.1	130.2	103.7	72.1	443.0	818.0		78.1
		Female	20.6	69.2	37.8	35.4	73.9	162.5	116.8	104.7	64.9	301.0	789.2		70.3
Total		26.3	55.1	33.3	40.7	79.5	183.1	123.5	104.2	68.5	375.6	804.4		75.0	
1989	Cases	Male	41	161	61	948	5169	819	551	1015	781	62	670		10278
		Female	37	305	87	694	4081	721	449	962	712	35	695		8778
		Unspecified	2	0	0	52	0	0	0	0	0	0	0		54
		Total	80	466	148	1694	9250	1540	1000	1977	1493	97	1365		19110
	Rates	Male	14.2	31.5	16.7	27.8	103.4	149.7	108.3	80.6	49.0	435.5	2232.7		76.0
		Female	12.9	58.4	23.5	19.7	79.8	129.6	87.9	77.8	44.4	271.7	2572.5		63.8
Total		13.9	45.1	20.1	24.4	91.5	139.6	98.1	79.2	46.7	357.7	2393.7		70.0	
1990	Cases	Male	27	126	36	1182	3569	571	448	625	818	48	231		7681
		Female	22	193	26	695	2552	508	455	630	682	37	224		6024
		Unspecified	0	1	0	89	27	0	0	0	0	0	0		117
		Total	49	320	62	1966	6148	1079	903	1255	1500	85	455		13822
	Rates	Male	9.3	24.5	9.8	34.3	70.1	104.2	89.2	48.6	49.9	329.7	746.0		55.9
		Female	7.6	36.7	7.0	19.6	49.0	91.1	90.1	49.9	41.3	279.9	801.7		43.1
Total		8.5	30.7	8.4	28.1	59.7	97.6	89.7	49.3	45.6	306.0	772.4		49.9	
1991	Cases	Male	10	108	32	953	3100	697	442	757	744	44	199		7086
		Female	15	192	21	417	2274	598	404	630	584	33	184		5352
		Unspecified	0	0	0	10	7	0	0	0	2	0	0		19
		Total	25	300	53	1380	5381	1295	846	1387	1330	77	383		12457
	Rates	Male	3.4	20.9	8.7	27.4	60.2	126.7	88.5	57.9	44.2	290.8	622.0		51.0
		Female	5.2	36.3	5.6	11.6	43.1	106.9	80.3	49.0	34.5	239.4	635.9		37.9
Total		4.3	28.7	7.1	19.5	51.6	116.7	84.4	53.5	39.4	266.3	628.6		44.4	

## Reported cases and rates<sup>1</sup> of gonorrhoea by province/territory and sex, 1980 to 2010<sup>2</sup>

Centre for Communicable Diseases and Infection Control

Public Health Agency of Canada

Note: Footnotes contain important information for the interpretation of the data within these tables. Review is strongly encouraged.

Data were verified with provinces and territories as of November, 2011.

Year	Sex	Gonorrhoea												Total	
		NL	PE / NS	NB	QC	ON	MB	SK	AB	BC	YT	NT	NU <sup>3</sup>		
1992	Cases	Male	9	71	15	618	2188	702	360	598	456	8	123		5148
		Female	4	127	9	264	1707	557	357	576	336	5	151		4093
		Unspecified	0	1	0	9	2	0	0	0	0	0	0		12
		Total	13	199	24	891	3897	1259	717	1174	792	13	274		9253
	Rates	Male	3.1	13.7	4.0	17.6	41.9	127.2	72.0	45.0	26.4	50.6	375.5		36.6
		Female	1.4	23.8	2.4	7.3	31.9	99.3	70.8	44.1	19.3	34.7	509.2		28.6
Total		2.2	18.9	3.2	12.5	36.9	113.1	71.4	44.6	22.8	43.0	439.0		32.6	
1993	Cases	Male	2	29	6	458	1691	487	247	427	312	9	70		3738
		Female	1	61	2	217	1341	436	243	404	254	14	113		3086
		Unspecified	0	0	0	5	3	0	0	0	0	0	0		8
		Total	3	90	8	680	3035	923	490	831	566	23	183		6832
	Rates	Male	0.7	5.6	1.6	13.0	32.0	87.8	49.3	31.7	17.5	56.2	210.0		26.3
		Female	0.3	11.4	0.5	6.0	24.8	77.3	48.1	30.5	14.2	95.8	374.0		21.3
Total		0.5	8.5	1.1	9.5	28.4	82.5	48.7	31.1	15.8	75.1	288.0		23.8	
1994	Cases	Male	1	13	6	504	1760	394	188	266	298	7	41		3478
		Female	2	22	7	225	1328	335	189	240	189	6	102		2645
		Unspecified	0	0	0	6	35	0	0	0	3	0	0		44
		Total	3	35	13	735	3123	729	377	506	490	13	143		6167
	Rates	Male	0.3	2.5	1.6	14.2	32.9	70.7	37.4	19.5	16.2	44.6	120.0		24.2
		Female	0.7	4.1	1.9	6.2	24.2	59.1	37.3	17.9	10.2	41.8	329.0		18.1
Total		0.5	3.3	1.7	10.2	28.8	64.9	37.3	18.7	13.3	43.3	219.5		21.2	
1995	Cases	Male	2	15	7	425	1719	376	208	223	296	11	40		3322
		Female	2	23	7	165	1264	282	178	177	193	9	85		2385
		Unspecified	0	0	0	5	0	0	0	0	3	0	0		8
		Total	4	38	14	595	2983	658	386	400	492	20	125		5715
	Rates	Male	0.7	2.9	1.9	11.9	31.8	67.1	41.2	16.2	15.7	68.2	114.7		22.9
		Female	0.7	4.3	1.8	4.5	22.7	49.5	34.9	13.0	10.2	61.0	268.2		16.1
Total		0.7	3.6	1.9	8.2	27.2	58.2	38.1	14.6	13.0	64.8	187.8		19.5	

## Reported cases and rates<sup>1</sup> of gonorrhoea by province/territory and sex, 1980 to 2010<sup>2</sup>

Centre for Communicable Diseases and Infection Control

Public Health Agency of Canada

Note: Footnotes contain important information for the interpretation of the data within these tables. Review is strongly encouraged.

Data were verified with provinces and territories as of November, 2011.

Year	Sex	Gonorrhoea													
		NL	PE / NS	NB	QC	ON	MB	SK	AB	BC	YT	NT	NU <sup>3</sup>	Total	
1996	Cases	Male	2	31	10	325	1304	305	216	247	354	3	48		2845
		Female	0	67	31	144	1008	249	188	225	172	7	77		2168
		Unspecified	0	0	0	9	0	0	0	0	1	0	0		10
		Total	2	98	41	478	2312	554	404	472	527	10	125		5023
	Rates	Male	0.7	5.9	2.7	9.1	23.8	54.2	42.6	17.6	18.3	18.0	135.7		19.4
		Female	0.0	12.3	8.2	3.9	17.9	43.5	36.7	16.3	8.8	45.8	239.2		14.5
Total		0.4	9.2	5.4	6.6	20.8	48.8	39.6	17.0	13.6	31.3	185.0		16.9	
1997	Cases	Male	2	34	4	402	1147	249	176	218	344	0	70		2646
		Female	1	75	11	136	783	269	166	188	113	0	80		1822
		Unspecified	0	0	0	7	1	0	0	0	1	0	0		9
		Total	3	109	15	545	1931	518	342	406	458	0	150		4477
	Rates	Male	0.7	6.5	1.1	11.2	20.7	44.2	34.6	15.2	17.4	0.0	197.4		17.8
		Female	0.4	13.8	2.9	3.7	13.7	47.0	32.3	13.4	5.7	0.0	247.8		12.0
Total		0.5	10.2	2.0	7.5	17.2	45.6	33.5	14.3	11.6	0.0	221.5		14.9	
1998	Cases	Male	2	30	7	370	1355	225	167	268	406	5	86		2921
		Female	0	55	10	112	917	198	159	250	163	6	68		1938
		Unspecified	0	0	0	8	0	1	0	0	0	0	0		9
		Total	2	85	17	490	2272	424	326	518	569	11	154		4868
	Rates	Male	0.7	5.7	1.9	10.2	24.1	39.9	32.8	18.3	20.4	30.5	244.2		19.5
		Female	0.0	10.1	2.6	3.0	15.9	34.5	30.9	17.4	8.1	39.6	210.8		12.7
Total		0.4	8.0	2.3	6.7	20.0	37.3	31.8	17.8	14.2	34.9	228.2		16.1	
1999	Cases	Male	1	23	6	485	1319	245	167	287	683	5	101		3322
		Female	0	39	5	136	911	265	135	248	205	10	100		2054
		Unspecified	0	1	0	2	0	0	0	0	2	0	0		5
		Total	1	63	11	623	2230	510	302	535	890	15	201		5381
	Rates	Male	0.4	4.4	1.6	13.4	23.2	43.2	32.8	19.2	34.1	31.2	286.1		22.0
		Female	0.0	7.1	1.3	3.7	15.6	46.0	26.2	16.9	10.1	66.7	307.2		13.3
Total		0.2	5.9	1.5	8.5	19.4	44.6	29.4	18.1	22.1	48.3	296.2		17.6	

# Reported cases and rates<sup>1</sup> of gonorrhoea by province/territory and sex, 1980 to 2010<sup>2</sup>

Centre for Communicable Diseases and Infection Control

Public Health Agency of Canada

Note: Footnotes contain important information for the interpretation of the data within these tables. Review is strongly encouraged.

Data were verified with provinces and territories as of November, 2011.

Year	Sex	Gonorrhoea													
		NL	PE / NS	NB	QC	ON	MB	SK	AB	BC	YT	NT	NU <sup>3</sup>	Total	
2000	Cases	Male	4	32	10	538	1674	353	235	343	528	3	63	46	3829
		Female	1	25	1	126	1120	305	230	243	179	2	72	49	2353
		Unspecified	0	0	0	6	0	0	0	0	1	0	0	0	7
		Total	5	57	11	670	2794	658	465	586	708	5	135	95	6189
2000	Rates	Male	1.5	6.1	2.7	14.8	29.0	62.1	46.3	22.6	26.2	19.0	298.2	321.0	25.1
		Female	0.4	4.6	0.3	3.4	18.9	52.8	44.7	16.3	8.8	13.5	364.1	374.3	15.1
		Total	0.9	5.3	1.5	9.1	23.9	57.4	45.5	19.5	17.4	16.3	330.0	346.5	20.1
2001	Cases	Male	0	46	7	665	1809	360	252	473	450	2	73	39	4176
		Female	0	39	5	163	1151	340	276	328	153	1	78	37	2571
		Unspecified	0	1	0	4	0	1	3	0	0	0	0	0	9
		Total	0	86	12	832	2960	701	531	801	603	3	151	76	6756
2001	Rates	Male	0.0	8.8	1.9	18.2	30.8	63.0	50.7	30.6	22.2	13.0	345.3	265.7	27.2
		Female	0.0	7.1	1.3	4.3	19.1	58.6	54.9	21.7	7.5	6.8	395.9	275.0	16.4
		Total	0.0	8.0	1.6	11.2	24.9	60.9	53.1	26.2	14.8	9.9	369.7	270.1	21.8
2002	Cases	Male	5	92	13	669	1954	321	268	563	597	8	66	33	4589
		Female	4	107	17	205	1194	316	291	415	116	3	58	44	2770
		Unspecified	0	0	0	4	2	0	0	0	0	0	0	0	6
		Total	9	199	30	878	3150	637	559	978	713	11	124	77	7365
2002	Rates	Male	2.0	17.5	3.5	18.2	32.7	56.0	54.1	35.6	29.4	51.8	305.7	220.3	29.5
		Female	1.5	19.5	4.5	5.4	19.5	54.2	58.0	26.8	5.6	20.1	288.9	318.0	17.5
		Total	1.7	18.6	4.0	11.8	26.1	55.1	56.1	31.3	17.4	36.2	297.6	267.2	23.5
2003	Cases	Male	7	55	15	663	2381	419	239	602	506	1	110	27	5025
		Female	0	63	19	205	1409	464	305	433	181	2	91	38	3210
		Unspecified	0	0	0	4	1	0	0	0	1	0	0	0	6
		Total	7	118	34	872	3791	883	544	1035	688	3	201	65	8241
2003	Rates	Male	2.7	10.5	4.1	17.9	39.4	72.6	48.3	37.4	24.8	6.3	498.1	177.7	32.1
		Female	0.0	11.5	5.0	5.4	22.7	79.1	60.8	27.5	8.7	13.2	444.4	269.0	20.1
		Total	1.3	11.0	4.5	11.6	31.0	75.9	54.6	32.5	16.7	9.7	472.3	221.7	26.0



# Reported cases and rates<sup>1</sup> of gonorrhoea by province/territory and sex, 1980 to 2010<sup>2</sup>

Centre for Communicable Diseases and Infection Control

Public Health Agency of Canada

Note: Footnotes contain important information for the interpretation of the data within these tables. Review is strongly encouraged.

Data were verified with provinces and territories as of November, 2011.

Year	Sex	Gonorrhoea												Total	
		NL	PE / NS	NB	QC	ON	MB	SK	AB	BC	YT	NT	NU <sup>3</sup>		
2004	Cases	Male	1	54	8	672	2473	544	262	867	880	22	75	30	5888
		Female	0	72	7	147	1479	543	366	508	205	20	60	15	3422
		Unspecified	0	0	0	0	4	1	1	1	0	0	0	0	7
		Total	1	126	15	819	3956	1088	629	1376	1085	42	135	45	9317
2004	Rates	Male	0.4	10.3	2.2	18.0	40.4	93.4	52.9	52.9	42.8	137.1	334.0	193.6	37.2
		Female	0.0	13.1	1.8	3.9	23.6	91.9	72.8	31.8	9.8	129.7	287.8	104.5	21.2
		Total	0.2	11.7	2.0	10.9	31.9	92.7	63.1	42.5	26.1	133.4	311.8	150.7	29.2
2005	Cases	Male	1	53	9	730	2077	595	298	950	910	13	78	37	5751
		Female	0	52	14	166	1242	580	422	579	294	8	64	20	3441
		Unspecified <sup>4</sup>	0	1	0	5	3	0	0	1	0	0	0	0	10
		Total	1	106	23	901	3322	1175	720	1530	1204	21	142	57	9202
2005	Rates	Male	0.4	10.1	2.4	19.5	33.6	101.6	60.5	56.4	43.8	79.9	345.7	235.3	36.0
		Female	0.0	9.4	3.7	4.3	19.6	97.8	84.2	35.3	13.9	51.2	307.2	137.0	21.2
		Total	0.2	9.9	3.1	11.9	26.5	99.7	72.5	46.1	28.7	65.8	327.2	187.9	28.5
2006	Cases	Male	7	58	20	909	2428	844	414	1298	723	4	79	65	6849
		Female	1	41	12	364	1416	734	540	850	354	7	102	47	4468
		Unspecified <sup>4</sup>	0	0	0	2	2	0	0	1	1	0	0	0	6
		Total	8	99	32	1275	3846	1578	954	2149	1078	11	181	112	11323
2006	Rates	Male	2.8	11.1	5.5	24.1	38.8	143.4	84.2	74.7	34.4	24.2	351.5	339.6	42.3
		Female	0.4	7.4	3.2	9.4	22.1	123.3	107.8	50.5	16.5	44.4	492.2	322.1	27.2
		Total	1.6	9.2	4.3	16.7	30.4	133.3	96.2	62.8	25.4	34.1	419.0	331.2	34.7
2007	Cases	Male	17	42	25	988	2340	690	451	1329	831	6	113	84	6916
		Female	1	33	11	420	1622	794	582	864	452	11	109	68	4967
		Unspecified <sup>4</sup>	0	0	0	1	2	0	0	0	2	0	0	0	5
		Total	18	75	36	1409	3964	1484	1033	2193	1285	17	222	152	11888
2007	Rates	Male	6.8	8.0	6.8	26.0	37.1	116.2	91.0	74.3	38.9	36.1	499.9	514.3	42.4
		Female	0.4	6.0	2.9	10.8	25.0	132.3	115.3	50.1	20.8	68.9	520.6	436.0	29.9
		Total	3.6	7.0	4.8	18.3	31.0	124.3	103.3	62.4	29.8	52.2	509.8	476.4	36.1

## Reported cases and rates<sup>1</sup> of gonorrhoea by province/territory and sex, 1980 to 2010<sup>2</sup>

Centre for Communicable Diseases and Infection Control

Public Health Agency of Canada

Note: Footnotes contain important information for the interpretation of the data within these tables. Review is strongly encouraged.

Data were verified with provinces and territories as of November, 2011.

Year	Sex	Gonorrhoea													
		NL	PE / NS	NB	QC	ON	MB	SK	AB	BC	YT	NT	NU <sup>3</sup>	Total	
2008	Cases	Male	0	73	14	1057	2235	616	548	1231	893	7	156	183	7013
		Female	0	74	14	595	1633	749	786	896	534	10	143	173	5607
		Unspecified <sup>4</sup>	0	0	0	1	4	0	0	0	2	0	0	0	7
		Total	0	147	28	1653	3872	1365	1334	2127	1429	17	299	356	12627
	Rates	Male	0.0	14.0	3.8	27.5	35.0	102.7	109.0	67.1	41.1	41.3	688.6	1134.6	42.5
		Female	0.0	13.4	3.7	15.2	24.9	123.6	153.8	50.9	24.2	61.6	678.9	1162.3	33.4
		Total	0.0	13.7	3.7	21.3	29.9	113.2	131.6	59.2	32.6	51.2	683.9	1147.9	37.9
2009 <sup>5</sup>	Cases	Male	7	56	27	1222	1974	454	368	784	840	8	111	278	6129
		Female	2	71	25	659	1561	568	507	754	508	7	129	233	5024
		Unspecified <sup>4</sup>	0	0	0	4	6	0	0	0	2	0	0	1	13
		Total	9	127	52	1885	3541	1022	875	1538	1350	15	240	512	11166
	Rates	Male	2.8	10.7	7.3	31.5	30.7	74.8	71.9	41.8	38.0	46.6	491.2	1666.5	36.6
		Female	0.8	12.8	6.6	16.7	23.6	92.7	98.0	42.0	22.6	42.5	612.1	1502.1	29.6
		Total	1.8	11.8	6.9	24.1	27.1	83.8	85.0	41.9	30.3	44.6	549.5	1590.4	33.1
2010 <sup>5</sup>	Cases	Male	9	38	37	1371	2196	435	313	631	921	14	110	310	6385
		Female	3	62	24	690	1767	547	446	557	442	17	110	338	5003
		Unspecified <sup>4</sup>	0	0	0	4	3	0	0	0	2	0	0	0	9
		Total	12	100	61	2065	3966	982	759	1188	1365	31	220	648	11397
	Rates	Male	3.6	7.2	10.0	35.0	33.7	70.7	60.1	33.2	41.0	79.5	486.1	1804.7	37.7
		Female	1.2	11.1	6.3	17.3	26.4	88.2	84.9	30.6	19.4	100.6	520.5	2106.8	29.1
		Total	2.4	9.2	8.1	26.1	30.0	79.5	72.6	31.9	30.1	89.8	502.8	1950.6	33.4

<sup>1</sup> Rate per 100,000 population. Population estimates provided by Statistics Canada. (Source: Statistics Canada, Demography Division, Demographic Estimates Section, July Population Estimates, 1997-2005 final intercensal estimates, 2006-2007 final postcensal estimates, 2008-2009 updated postcensal estimates, 2010 preliminary postcensal estimates.)

<sup>2</sup> 2010 data are preliminary and changes are anticipated. Data were verified with provinces and territories as of November, 2011

<sup>3</sup> Nunavut did not officially become a territory until 1999; prior to 1999, data for Nunavut was combined with Northwest Territories.

<sup>4</sup> Unspecified sex includes transgender cases.

<sup>5</sup> Due to small counts, NS and PE Cases and Rates have been combined.

**Source:** Centre for Communicable Diseases and Infection Control, Public Health Agency of Canada, 2012.

**Note:** Small variability may exist between data reported by the provinces/territories and the Public Health Agency of Canada. Provincial/territorial data are definitive should a discrepancy exist.

**Reported cases and rates<sup>1</sup> of gonorrhoea by age group and sex, 1980 to 2010<sup>2</sup>**  
**Centre for Communicable Diseases and Infection Control**  
**Public Health Agency of Canada**

Note: Footnotes contain important information for the interpretation of the data within these tables. Review is strongly encouraged.  
**Data were verified with provinces and territories as of November, 2011.**

Year	Sex	Gonorrhoea												
		Age group (years)											NS	Total
		<1	1-4	5-9	10-14	15-19	20-24	25-29	30-39	40-59	60+			
1980	Cases	Male	10	0	6	43	3921	10821	7505	6542	2241	173	1293	32555
		Female	18	36	34	193	6075	7234	3280	1962	436	31	1186	20485
		Unspecified	0	0	0	0	1	0	1	0	0	0	229	231
		Total	28	36	40	236	9997	18055	10786	8504	2677	204	2708	53271
	Rates	Male	5.3	0.0	0.6	4.3	317.8	884.1	678.2	355.9	89.4	12.0		266.6
		Female	10.1	5.2	3.9	20.1	513.1	602.5	298.4	110.0	17.4	1.7		166.5
Total		7.7	2.5	2.2	12.0	413.5	744.7	489.0	234.8	53.4	6.3		217.3	
1981	Cases	Male	5	5	8	54	4435	11991	7906	6959	2179	149	646	34337
		Female	10	28	33	219	6932	8034	3487	2110	476	33	501	21863
		Unspecified	0	0	0	0	2	3	2	1	0	0	122	130
		Total	15	33	41	273	11369	20028	11395	9070	2655	182	1269	56330
	Rates	Male	2.7	0.7	0.9	5.4	366.2	959.2	700.1	366.1	85.8	10.0		278.0
		Female	5.6	4.0	3.8	23.2	598.6	654.7	310.8	113.9	18.8	1.8		175.3
Total		4.1	2.3	2.3	14.1	479.9	808.5	506.2	241.6	52.3	5.4		227.0	
1982	Cases	Male	5	3	1	46	4063	11239	7309	6399	2169	147	697	32078
		Female	8	22	32	211	6563	7816	3363	1899	422	21	536	20893
		Unspecified	0	0	0	0	0	3	2	0	0	0	96	101
		Total	13	25	33	257	10626	19058	10674	8298	2591	168	1329	53072
	Rates	Male	2.6	0.4	0.1	4.7	345.9	890.9	627.9	326.1	84.4	9.6		256.8
		Female	4.4	3.1	3.7	22.7	587.0	634.0	290.5	98.9	16.5	1.1		165.5
Total		3.5	1.7	1.8	13.4	463.5	764.0	459.8	213.8	50.5	4.8		211.3	
1983	Cases	Male	10	2	3	32	3223	9455	6186	5592	1801	116	586	27006
		Female	6	19	31	185	5469	6904	2934	1719	414	25	442	18148
		Unspecified	0	0	0	0	0	5	0	0	2	0	104	111
		Total	16	21	34	217	8692	16364	9120	7311	2217	141	1132	45265
	Rates	Male	5.3	0.3	0.3	3.3	286.9	743.2	518.7	277.7	69.0	7.4		214.2
		Female	3.3	2.7	3.5	20.1	512.4	558.9	247.7	86.9	16.0	1.2		142.3

**Reported cases and rates<sup>1</sup> of gonorrhoea by age group and sex, 1980 to 2010<sup>2</sup>**  
**Centre for Communicable Diseases and Infection Control**  
**Public Health Agency of Canada**

Note: Footnotes contain important information for the interpretation of the data within these tables. Review is strongly encouraged.  
**Data were verified with provinces and territories as of November, 2011.**

Year	Sex	Gonorrhoea												
		Age group (years)											NS	Total
		<1	1-4	5-9	10-14	15-19	20-24	25-29	30-39	40-59	60+			
	Total	4.3	1.4	1.9	11.5	396.7	652.6	383.7	183.1	42.6	3.9		178.4	
1984	Cases	Male	7	2	3	51	3094	9024	5966	5226	1828	98	553	25852
		Female	4	22	26	240	5501	6832	2792	1677	365	23	442	17924
		Unspecified	0	0	0	0	4	2	0	1	0	0	91	98
		Total	11	24	29	291	8599	15858	8758	6904	2193	121	1086	43874
	Rates	Male	3.7	0.3	0.3	5.3	288.2	704.9	491.8	252.6	69.0	6.1		203.2
		Female	2.2	3.1	3.0	26.4	540.0	553.6	232.6	82.1	13.9	1.1		139.1
		Total	3.0	1.6	1.6	15.6	410.9	630.7	362.9	168.0	41.5	3.3		171.3
1985	Cases	Male	8	1	4	41	2804	8545	5091	4484	1522	88	689	23277
		Female	5	19	26	207	5448	6445	2666	1598	349	18	618	17399
		Unspecified	0	0	0	0	2	3	1	0	0	0	55	61
		Total	13	20	30	248	8254	14993	7758	6082	1871	106	1362	40737
	Rates	Male	4.2	0.1	0.4	4.4	270.5	670.4	413.9	210.6	56.5	5.4		181.4
		Female	2.8	2.6	2.9	23.0	554.9	526.6	220.2	75.8	13.1	0.8		133.7
		Total	3.5	1.4	1.7	13.5	409.0	600.1	317.9	143.5	34.9	2.8		157.6
1986	Cases	Male	7	1	6	34	2715	7042	4542	3413	1164	100	434	19458
		Female	7	23	21	227	5128	5690	2513	1394	320	28	393	15744
		Unspecified	0	0	0	0	0	0	3	1	0	0	81	85
		Total	14	24	27	261	7843	12732	7058	4808	1484	128	908	35287
	Rates	Male	3.7	0.1	0.6	3.7	266.0	563.5	362.5	156.3	42.3	5.9		150.2
		Female	3.9	3.2	2.4	25.6	530.3	475.6	205.1	64.3	11.7	1.3		119.7
		Total	3.8	1.6	1.5	14.4	394.6	520.5	284.8	110.5	27.1	3.3		135.2
1987	Cases	Male	3	7	4	35	2288	5361	3307	2447	897	74	332	14755
		Female	6	18	30	195	4357	4578	2017	1084	298	17	323	12923
		Unspecified	0	0	0	0	1	0	0	0	0	0	239	240
		Total	9	25	34	230	6646	9939	5324	3531	1195	91	894	27918
	Male	1.6	0.9	0.4	3.8	227.7	443.5	259.2	109.6	31.6	4.3		112.4	

**Reported cases and rates<sup>1</sup> of gonorrhoea by age group and sex, 1980 to 2010<sup>2</sup>**  
**Centre for Communicable Diseases and Infection Control**  
**Public Health Agency of Canada**

Note: Footnotes contain important information for the interpretation of the data within these tables. Review is strongly encouraged.  
**Data were verified with provinces and territories as of November, 2011.**

Year	Sex	Gonorrhoea												
		Age group (years)											NS	Total
		<1	1-4	5-9	10-14	15-19	20-24	25-29	30-39	40-59	60+			
Rates	Female	3.3	2.5	3.3	21.9	456.9	396.5	162.5	48.9	10.6	0.8		97.0	
	Total	2.4	1.7	1.8	12.6	339.3	420.6	211.5	79.4	21.2	2.3		105.6	

**Reported cases and rates<sup>1</sup> of gonorrhoea by age group and sex, 1980 to 2010<sup>2</sup>**  
**Centre for Communicable Diseases and Infection Control**  
**Public Health Agency of Canada**

Note: Footnotes contain important information for the interpretation of the data within these tables. Review is strongly encouraged.  
**Data were verified with provinces and territories as of November, 2011.**

Year	Sex	Gonorrhoea												
		Age group (years)											NS	Total
		<1	1-4	5-9	10-14	15-19	20-24	25-29	30-39	40-59	60+			
1988	Cases	Male	2	1	4	26	1558	3604	2395	1840	667	48	236	10381
		Female	5	11	25	139	3209	3293	1531	828	220	14	226	9501
		Unspecified	0	0	0	0	0	0	0	0	0	0	220	220
		Total	7	12	29	165	4767	6897	3926	2668	887	62	682	20102
	Rates	Male	1.1	0.1	0.4	2.8	156.2	312.5	185.3	80.5	22.8	2.7		78.1
		Female	2.8	1.5	2.7	15.5	338.7	298.2	121.7	36.4	7.6	0.6		70.3
Total		1.9	0.8	1.5	9.0	245.1	305.5	153.9	58.5	15.2	1.5		75.0	
1989	Cases	Male	7	1	2	26	1503	3355	2345	2009	735	54	241	10278
		Female	3	22	18	144	3083	2850	1445	822	221	10	160	8778
		Unspecified	0	1	0	0	1	3	2	2	0	0	45	54
		Total	10	24	20	170	4587	6208	3792	2833	956	64	446	19110
	Rates	Male	3.6	0.1	0.2	2.7	151.1	301.4	178.5	85.1	24.3	3.0		76.0
		Female	1.6	3.0	1.9	15.9	326.2	265.7	113.0	35.1	7.4	0.4		63.8
Total		2.6	1.6	1.1	9.2	236.4	284.0	146.2	60.2	15.9	1.5		70.0	
1990	Cases	Male	5	1	3	21	1140	2373	1791	1553	553	57	184	7681
		Female	9	13	9	139	2168	1911	918	564	176	10	107	6024
		Unspecified	1	0	0	0	3	7	1	4	0	0	101	117
		Total	15	14	12	160	3311	4291	2710	2121	729	67	392	13822
	Rates	Male	2.4	0.1	0.3	2.2	114.6	219.5	136.9	64.2	17.8	3.0		55.9
		Female	4.6	1.7	1.0	15.2	229.8	183.2	72.0	23.4	5.7	0.4		43.1
Total		3.7	0.9	0.6	8.5	170.8	202.0	104.9	44.0	11.8	1.6		49.9	
1991	Cases	Male	4	0	0	22	576	1141	897	831	344	41	3230	7086
		Female	2	12	3	109	1082	958	454	319	93	5	2315	5352
		Unspecified	0	0	0	0	0	1	0	0	0	0	18	19
		Total	6	12	3	131	1658	2100	1351	1150	437	46	5563	12457
	Rates	Male	1.9	0.0	0.0	2.3	58.1	107.4	70.6	33.6	10.7	2.1		51.0
		Female	1.0	1.6	0.3	11.8	115.5	93.4	36.7	13.0	2.9	0.2		37.9

**Reported cases and rates<sup>1</sup> of gonorrhoea by age group and sex, 1980 to 2010<sup>2</sup>**  
**Centre for Communicable Diseases and Infection Control**  
**Public Health Agency of Canada**

Note: Footnotes contain important information for the interpretation of the data within these tables. Review is strongly encouraged.  
**Data were verified with provinces and territories as of November, 2011.**

Year	Sex	Gonorrhoea												
		Age group (years)											NS	Total
		<1	1-4	5-9	10-14	15-19	20-24	25-29	30-39	40-59	60+			
	Total	1.5	0.8	0.2	6.9	86.0	100.6	53.9	23.3	6.8	1.0		44.4	
1992	Cases	Male	8	0	1	19	781	1485	1175	1138	428	51	62	5148
		Female	7	9	6	140	1644	1195	582	381	85	12	32	4093
		Unspecified	0	0	0	0	2	2	4	1	1	0	2	12
		Total	15	9	7	159	2427	2682	1761	1520	514	63	96	9253
1992	Rates	Male	3.9	0.0	0.1	1.9	78.8	140.8	95.5	45.3	13.0	2.6		36.6
		Female	3.6	1.2	0.6	14.9	175.4	117.5	48.4	15.2	2.6	0.5		28.6
		Total	3.7	0.6	0.4	8.2	125.9	129.5	72.4	30.3	7.8	1.4		32.6
1993	Cases	Male	1	1	3	8	596	1013	884	845	323	26	38	3738
		Female	0	11	3	88	1185	997	402	298	79	4	19	3086
		Unspecified	0	0	1	1	2	0	0	0	0	1	3	8
		Total	1	12	7	97	1783	2010	1286	1143	402	31	60	6832
1993	Rates	Male	0.5	0.1	0.3	0.8	59.9	96.9	74.6	33.0	9.5	1.3		26.3
		Female	0.0	1.4	0.3	9.2	126.0	99.1	34.8	11.7	2.3	0.2		21.3
		Total	0.3	0.7	0.4	5.0	92.2	98.0	54.9	22.4	5.9	0.7		23.8
1994	Cases	Male	3	0	1	10	433	796	821	971	386	34	23	3478
		Female	1	4	3	83	947	817	363	293	92	7	35	2645
		Unspecified	0	0	0	0	2	2	1	4	0	0	35	44
		Total	4	4	4	93	1382	1615	1185	1268	478	41	93	6167
1994	Rates	Male	1.5	0.0	0.1	1.0	43.0	76.9	71.9	37.3	11.0	1.7		24.2
		Female	0.5	0.5	0.3	8.6	99.5	82.0	32.6	11.4	2.6	0.3		18.1
		Total	1.0	0.2	0.2	4.7	70.5	79.5	52.5	24.5	6.8	0.9		21.2
1995	Cases	Male	3	2	0	9	425	769	710	980	360	36	28	3322
		Female	1	4	2	75	888	761	347	243	51	1	12	2385
		Unspecified	0	0	0	0	2	0	2	1	1	0	2	8
		Total	4	6	2	84	1315	1530	1059	1224	412	37	42	5715
1995	Male	1.5	0.2	0.0	0.9	41.7	74.8	63.9	37.4	10.0	1.7		22.9	

**Reported cases and rates<sup>1</sup> of gonorrhoea by age group and sex, 1980 to 2010<sup>2</sup>**  
**Centre for Communicable Diseases and Infection Control**  
**Public Health Agency of Canada**

Note: Footnotes contain important information for the interpretation of the data within these tables. Review is strongly encouraged.  
**Data were verified with provinces and territories as of November, 2011.**

Year	Sex	Gonorrhoea												
		Age group (years)											NS	Total
		<1	1-4	5-9	10-14	15-19	20-24	25-29	30-39	40-59	60+			
Rates	Female	0.5	0.5	0.2	7.7	92.2	76.9	32.0	9.4	1.4	0.0		16.1	
	Total	1.0	0.4	0.1	4.2	66.3	75.8	48.3	23.5	5.7	0.8		19.5	



**Reported cases and rates<sup>1</sup> of gonorrhoea by age group and sex, 1980 to 2010<sup>2</sup>**  
**Centre for Communicable Diseases and Infection Control**  
**Public Health Agency of Canada**

Note: Footnotes contain important information for the interpretation of the data within these tables. Review is strongly encouraged.  
**Data were verified with provinces and territories as of November, 2011.**

Year	Sex	Gonorrhoea												
		Age group (years)											NS	Total
		<1	1-4	5-9	10-14	15-19	20-24	25-29	30-39	40-59	60+			
1996	Cases	Male	1	2	1	5	345	688	614	820	320	26	23	2845
		Female	2	3	2	64	844	652	320	210	60	2	9	2168
		Unspecified	0	0	0	0	0	1	0	4	0	0	5	10
		Total	3	5	3	69	1189	1341	934	1034	380	28	37	5023
	Rates	Male	0.5	0.2	0.1	0.5	33.3	67.2	56.1	31.3	8.6	1.2		19.4
		Female	1.1	0.4	0.2	6.5	86.3	66.1	29.9	8.1	1.6	0.1		14.5
Total		0.8	0.3	0.1	3.4	59.1	66.7	43.2	19.9	5.1	0.6		16.9	
1997	Cases	Male	0	0	0	2	333	599	570	765	337	23	17	2646
		Female	0	0	2	56	716	578	235	184	42	4	5	1822
		Unspecified	0	0	0	0	0	2	0	2	0	1	4	9
		Total	0	0	2	58	1049	1179	805	951	379	28	26	4477
	Rates	Male	0.0	0.0	0.0	0.2	31.9	58.1	52.5	29.3	8.7	1.1		17.8
		Female	0.0	0.0	0.2	5.7	72.5	58.2	22.1	7.2	1.1	0.1		12.0
Total		0.0	0.0	0.1	2.9	51.7	58.3	37.5	18.4	4.9	0.6		14.9	
1998	Cases	Male	0	0	3	5	327	665	571	898	406	32	14	2921
		Female	3	5	3	51	799	575	245	196	53	5	3	1938
		Unspecified	0	0	0	0	0	2	0	0	0	0	7	9
		Total	3	5	6	56	1126	1242	816	1094	459	37	24	4868
	Rates	Male	0.0	0.0	0.3	0.5	31.1	64.0	53.0	34.9	10.2	1.5		19.5
		Female	1.8	0.7	0.3	5.2	80.2	57.7	23.3	7.7	1.3	0.2		12.7
Total		0.9	0.3	0.3	2.8	55.0	61.0	38.3	21.4	5.7	0.7		16.1	
1999	Cases	Male	1	0	1	2	337	737	597	1077	518	45	7	3322
		Female	0	4	5	49	798	636	293	193	71	2	3	2054
		Unspecified	0	0	0	0	1	0	0	1	0	0	3	5
		Total	1	4	6	51	1136	1373	890	1271	589	47	13	5381
	Rates	Male	0.6	0.0	0.1	0.2	31.8	70.0	55.7	42.4	12.6	2.0		22.0
		Female	0.0	0.6	0.5	5.0	79.5	63.0	28.0	7.7	1.7	0.1		13.3
Total		0.3	0.3	0.3	2.5	55.1	66.6	42.0	25.2	7.1	0.9		17.6	

## Reported cases and rates<sup>1</sup> of gonorrhoea by age group and sex, 1980 to 2010<sup>2</sup>

Centre for Communicable Diseases and Infection Control  
Public Health Agency of Canada

Note: Footnotes contain important information for the interpretation of the data within these tables. Review is strongly encouraged.  
Data were verified with provinces and territories as of November, 2011.

Year	Sex	Gonorrhoea												
		Age group (years)											NS	Total
		<1	1-4	5-9	10-14	15-19	20-24	25-29	30-39	40-59	60+			
2000	Cases	Male	1	1	0	6	432	824	656	1246	612	46	5	3829
		Female	1	1	0	47	969	732	300	223	71	6	3	2353
		Unspecified	0	0	0	0	1	0	0	0	3	0	3	7
		Total	2	2	0	53	1402	1556	956	1469	686	52	11	6189
	Rates	Male	0.6	0.1	0.0	0.6	40.6	77.3	61.4	49.6	14.4	2.0		25.1
		Female	0.6	0.1	0.0	4.7	96.0	71.8	28.7	9.0	1.7	0.2		15.1
Total		0.6	0.1	0.0	2.6	67.6	74.6	45.2	29.5	8.0	1.0		20.1	
2001	Cases	Male	0	0	0	4	467	980	740	1224	704	53	4	4176
		Female	3	0	3	58	1007	852	310	236	96	4	2	2571
		Unspecified	0	0	0	0	2	2	1	3	0	0	1	9
		Total	3	0	3	62	1476	1834	1051	1463	800	57	7	6756
	Rates	Male	0.0	0.0	0.0	0.4	42.9	90.9	70.3	49.7	16.1	2.3		27.2
		Female	1.9	0.0	0.3	5.7	98.0	82.8	30.4	9.8	2.2	0.1		16.4
Total		0.9	0.0	0.1	3.0	69.8	87.0	50.7	30.0	9.1	1.1		21.8	
2002	Cases	Male	0	0	0	8	472	1122	814	1341	767	60	5	4589
		Female	2	2	3	62	1049	872	374	301	97	4	4	2770
		Unspecified	0	0	0	0	0	1	0	2	1	0	2	6
		Total	2	2	3	70	1521	1995	1188	1644	865	64	11	7365
	Rates	Male	0.0	0.0	0.0	0.7	43.2	102.6	77.0	55.3	17.0	2.5		29.5
		Female	1.3	0.3	0.3	6.0	101.6	83.4	36.4	12.6	2.1	0.1		17.5
Total		0.6	0.1	0.2	3.3	71.5	93.3	57.0	34.2	9.6	1.2		23.5	

## Reported cases and rates<sup>1</sup> of gonorrhoea by age group and sex, 1980 to 2010<sup>2</sup>

Centre for Communicable Diseases and Infection Control  
Public Health Agency of Canada

Note: Footnotes contain important information for the interpretation of the data within these tables. Review is strongly encouraged.

Data were verified with provinces and territories as of November, 2011.

Year	Sex	Gonorrhoea												
		Age group (years)											NS	Total
		<1	1-4	5-9	10-14	15-19	20-24	25-29	30-39	40-59	60+			
2003	Cases	Male	0	0	0	5	535	1242	890	1362	906	73	12	5025
		Female	1	2	0	59	1225	1032	418	346	117	7	3	3210
		Unspecified	0	0	0	0	1	1	0	1	0	1	2	6
		Total	1	2	0	64	1761	2275	1308	1709	1023	81	17	8241
	Rates	Male	0.0	0.0	0.0	0.5	48.9	111.8	83.8	57.4	19.6	3.0		32.1
		Female	0.6	0.3	0.0	5.7	118.5	97.1	40.4	14.9	2.5	0.2		20.1
Total		0.3	0.1	0.0	3.0	82.7	104.6	62.4	36.3	11.0	1.5		26.0	
2004	Cases	Male	0	0	0	7	632	1469	1019	1539	1121	93	8	5888
		Female	1	0	1	69	1311	1099	465	337	134	5	0	3422
		Unspecified	0	0	0	0	0	0	3	1	1	0	2	7
		Total	1	0	1	76	1943	2568	1487	1877	1256	98	10	9317
	Rates	Male	0.0	0.0	0.0	0.6	57.3	130.2	95.0	66.3	23.7	3.7		37.2
		Female	0.6	0.0	0.1	6.6	126.0	101.8	44.2	14.8	2.8	0.2		21.2
Total		0.3	0.0	0.1	3.5	90.6	116.3	70.0	40.8	13.2	1.7		29.2	
2005	Cases	Male	0	0	0	7	613	1399	1083	1438	1113	93	5	5751
		Female	2	1	2	91	1232	1171	459	342	127	10	4	3441
		Unspecified <sup>3</sup>	0	0	0	0	1	3	2	2	1	0	1	10
		Total	2	1	2	98	1846	2573	1544	1782	1241	103	10	9202
	Rates	Male	0.0	0.0	0.0	0.6	54.8	122.5	99.9	62.9	23.0	3.6		36.0
		Female	1.2	0.2	0.2	8.8	116.6	107.4	43.1	15.2	2.6	0.3		21.2
Total		0.6	0.1	0.1	4.6	84.8	115.3	71.8	39.3	12.8	1.8		28.5	
2006	Cases	Male	2	1	0	5	760	1635	1266	1612	1405	137	26	6849
		Female	2	3	6	86	1515	1426	662	506	233	14	15	4468
		Unspecified <sup>3</sup>	0	0	0	0	0	3	1	1	1	0	0	6
		Total	4	4	6	91	2275	3064	1929	2119	1639	151	41	11323
	Rates	Male	1.1	0.1	0.0	0.5	66.7	141.4	114.9	71.2	28.5	5.1		42.3
		Female	1.2	0.4	0.7	8.4	140.9	129.8	61.0	22.8	4.7	0.4		27.2
Total		1.1	0.3	0.3	4.3	102.8	135.9	88.2	47.2	16.6	2.5		34.7	
	Male	0	0	0	12	825	1793	1330	1483	1347	117	9	6916	

**Reported cases and rates<sup>1</sup> of gonorrhoea by age group and sex, 1980 to 2010<sup>2</sup>**  
**Centre for Communicable Diseases and Infection Control**  
**Public Health Agency of Canada**

Note: Footnotes contain important information for the interpretation of the data within these tables. Review is strongly encouraged.  
**Data were verified with provinces and territories as of November, 2011.**

Year	Sex	Gonorrhoea												
		Age group (years)											NS	Total
		<1	1-4	5-9	10-14	15-19	20-24	25-29	30-39	40-59	60+			
2007	Cases	Female	0	5	9	83	1642	1680	751	586	196	13	2	4967
		Unspecified <sup>3</sup>	0	0	0	0	0	1	0	3	0	0	1	5
		Total	0	5	9	95	2467	3474	2081	2072	1543	130	12	11888
	Rates	Male	0.0	0.0	0.0	1.1	71.8	154.0	118.3	65.5	27.2	4.2		42.4
		Female	0.0	0.7	1.0	8.3	150.7	151.8	67.7	26.2	3.9	0.4		29.9
		Total	0.0	0.4	0.5	4.6	110.2	153.0	93.2	46.0	15.5	2.1		36.1
2008	Cases	Male	0	0	4	16	809	1928	1390	1527	1222	116	1	7013
		Female	0	4	5	77	1825	1838	913	670	260	13	2	5607
		Unspecified <sup>3</sup>	0	0	0	0	1	2	1	1	1	0	1	7
	Rates	Male	0.0	0.0	0.4	1.6	70.0	164.4	120.5	67.1	24.5	4.0		42.5
		Female	0.0	0.6	0.6	7.8	165.9	165.2	80.5	29.8	5.2	0.4		33.4
		Total	0.0	0.3	0.5	4.6	116.8	164.9	100.7	48.6	14.8	2.0		37.9
2009	Cases	Male	1	0	1	107	840	1642	1195	1215	1036	86	6	6129
		Female	0	8	12	316	1596	1551	806	531	185	16	3	5024
		Unspecified <sup>3</sup>	0	0	0	0	3	4	1	2	0	1	2	13
	Rates	Male	0.5	0.0	0.1	10.6	72.9	137.7	100.8	53.1	20.6	2.9		36.6
		Female	0.0	1.1	1.4	32.8	145.3	137.4	69.4	23.4	3.7	0.4		29.6
		Total	0.3	0.5	0.7	21.4	108.4	137.8	85.3	38.3	12.1	1.6		33.1
2010	Cases	Male	1	1	3	109	778	1634	1332	1307	1103	116	1	6385
		Female	0	7	11	238	1597	1539	782	564	240	20	5	5003
		Unspecified <sup>3</sup>	0	0	0	0	0	2	1	2	1	1	2	9
	Rates	Male	0.5	0.1	0.3	11.0	68.2	134.5	109.9	56.7	21.8	3.7		37.7
		Female	0.0	1.0	1.3	25.2	147.0	133.8	66.1	24.6	4.7	0.5		29.1
		Total	0.3	0.5	0.8	17.9	106.7	134.3	88.3	40.8	13.3	2.0		33.4

**Reported cases and rates<sup>1</sup> of gonorrhoea by age group and sex, 1980 to 2010<sup>2</sup>**  
**Centre for Communicable Diseases and Infection Control**  
**Public Health Agency of Canada**

Note: Footnotes contain important information for the interpretation of the data within these tables. Review is strongly encouraged.  
**Data were verified with provinces and territories as of November, 2011.**

Year	Sex	Gonorrhoea											
		Age group (years)										NS	Total
		<1	1-4	5-9	10-14	15-19	20-24	25-29	30-39	40-59	60+		

<sup>1</sup> Rate per 100,000 population. Population estimates provided by Statistics Canada. (Source: Statistics Canada, Demography Division, Demographic Estimates Section, July Population Estimates, 1997-2005 final intercensal estimates, 2006-2007 final postcensal estimates, 2008-2009 updated postcensal estimates, 2010 preliminary postcensal estimates.)

<sup>2</sup> 2010 data are preliminary and changes are anticipated. Data were verified with provinces and territories as of November, 2011.

<sup>3</sup> Unspecified sex includes transgender cases.

**Source:** Centre for Communicable Diseases and Infection Control, Public Health Agency of Canada, 2012.

**Note:** Small variability may exist between data reported by the provinces/territories and the Public Health Agency of Canada. Provincial/territorial data are definitive should a discrepancy exist.

## Reported cases and rates<sup>1</sup> of infectious syphilis<sup>2</sup> by province/territory and sex, 1993 to 2010<sup>3</sup>

Centre for Communicable Diseases and Infection Control

Public Health Agency of Canada

Note: Footnotes contain important information for the interpretation of the data within these tables. Review is strongly encouraged.

Data were verified with provinces and territories as of November, 2011.

Year	Sex	Infectious Syphilis <sup>2</sup>												Total	
		NL	PE / NS	NB	QC	ON	MB	SK	AB	BC	YT	NT	NU <sup>4</sup>		
1993	Cases	Male	0	6	0	11	58	2	3	5	12	0	0		97
		Female	0	9	0	6	53	1	2	1	4	0	0		76
		Unspecified	0	0	0	0	4	0	0	0	0	0	0		4
		Total	0	15	0	17	115	3	5	6	16	0	0		177
	Rates	Male	0.0	1.2	0.0	0.3	1.1	0.4	0.6	0.4	0.7	0.0	0.0		0.7
		Female	0.0	1.7	0.0	0.2	1.0	0.2	0.4	0.1	0.2	0.0	0.0		0.5
Total		0.0	1.4	0.0	0.2	1.1	0.3	0.5	0.2	0.4	0.0	0.0		0.6	
1994	Cases	Male	0	11	2	16	55	3	11	5	9	0	0		112
		Female	1	14	2	4	35	1	7	3	3	1	0		71
		Unspecified	0	0	0	0	3	0	0	0	2	0	0		5
		Total	1	25	4	20	93	4	18	8	14	1	0		188
	Rates	Male	0.0	2.1	0.5	0.5	1.0	0.5	2.2	0.4	0.5	0.0	0.0		0.8
		Female	0.3	2.6	0.5	0.1	0.6	0.2	1.4	0.2	0.2	7.0	0.0		0.5
Total		0.2	2.4	0.5	0.3	0.9	0.4	1.8	0.3	0.4	3.3	0.0		0.6	
1995	Cases	Male	1	1	1	6	58	3	9	3	13	0	0		95
		Female	0	0	0	8	28	1	10	1	4	0	0		52
		Unspecified	0	0	0	0	0	0	0	0	0	0	0		0
		Total	1	1	1	14	86	4	19	4	17	0	0		147
	Rates	Male	0.4	0.2	0.3	0.2	1.1	0.5	1.8	0.2	0.7	0.0	0.0		0.7
		Female	0.0	0.0	0.0	0.2	0.5	0.2	2.0	0.1	0.2	0.0	0.0		0.4
Total		0.2	0.1	0.1	0.2	0.8	0.4	1.9	0.1	0.4	0.0	0.0		0.5	
1996	Cases	Male	0	1	0	10	41	1	4	1	16	0	0		74
		Female	0	2	0	2	32	0	5	0	4	0	0		45
		Unspecified	0	0	0	0	0	0	0	0	0	0	0		0
		Total	0	3	0	12	73	1	9	1	20	0	0		119
	Rates	Male	0.0	0.2	0.0	0.3	0.7	0.2	0.8	0.1	0.8	0.0	0.0		0.5
		Female	0.0	0.4	0.0	0.1	0.6	0.0	1.0	0.0	0.2	0.0	0.0		0.3
Total		0.0	0.3	0.0	0.2	0.7	0.1	0.9	0.0	0.5	0.0	0.0		0.4	

## Reported cases and rates<sup>1</sup> of infectious syphilis<sup>2</sup> by province/territory and sex, 1993 to 2010<sup>3</sup>

Centre for Communicable Diseases and Infection Control

Public Health Agency of Canada

Note: Footnotes contain important information for the interpretation of the data within these tables. Review is strongly encouraged.

Data were verified with provinces and territories as of November, 2011.

Year	Sex	Infectious Syphilis <sup>2</sup>												Total	
		NL	PE / NS	NB	QC	ON	MB	SK	AB	BC	YT	NT	NU <sup>4</sup>		
1997	Cases	Male	0	0	0	4	28	0	1	3	29	0	0		65
		Female	0	1	0	3	21	0	1	4	20	0	0		50
		Unspecified	0	0	0	0	0	0	0	0	0	0	0		0
		Total	0	1	0	7	49	0	2	7	49	0	0		115
	Rates	Male	0.0	0.0	0.0	0.1	0.5	0.0	0.2	0.2	1.5	0.0	0.0		0.4
		Female	0.0	0.2	0.0	0.1	0.4	0.0	0.2	0.3	1.0	0.0	0.0		0.3
Total		0.0	0.1	0.0	0.1	0.4	0.0	0.2	0.2	1.2	0.0	0.0		0.4	
1998	Cases	Male	0	1	0	2	25	2	4	6	70	0	0		110
		Female	0	1	0	2	16	1	2	0	45	0	0		67
		Unspecified	0	0	0	0	0	0	0	0	0	0	0		0
		Total	0	2	0	4	41	3	6	6	115	0	0		177
	Rates	Male	0.0	0.2	0.0	0.1	0.4	0.4	0.8	0.4	3.5	0.0	0.0		0.7
		Female	0.0	0.2	0.0	0.1	0.3	0.2	0.4	0.0	2.2	0.0	0.0		0.4
Total		0.0	0.2	0.0	0.1	0.4	0.3	0.6	0.2	2.9	0.0	0.0		0.6	
1999	Cases	Male	0	1	0	2	37	0	0	2	71	0	0		113
		Female	0	0	0	2	17	0	1	0	58	0	0		78
		Unspecified	0	0	0	0	0	0	0	0	0	0	0		0
		Total	0	1	0	4	54	0	1	2	129	0	0		191
	Rates	Male	0.0	0.2	0.0	0.1	0.7	0.0	0.0	0.1	3.5	0.0	0.0		0.7
		Female	0.0	0.0	0.0	0.1	0.3	0.0	0.2	0.0	2.9	0.0	0.0		0.5
Total		0.0	0.1	0.0	0.1	0.5	0.0	0.1	0.1	3.2	0.0	0.0		0.6	
2000	Cases	Male	0	0	0	5	29	0	1	13	59	7	0	0	114
		Female	0	1	0	2	14	1	0	2	36	4	0	0	60
		Unspecified	0	0	0	0	0	0	0	0	0	0	0	0	0
		Total	0	1	0	7	43	1	1	15	95	11	0	0	174
	Rates	Male	0.0	0.0	0.0	0.1	0.5	0.0	0.2	0.9	2.9	44.4	0.0	0.0	0.7
		Female	0.0	0.2	0.0	0.1	0.2	0.2	0.0	0.1	1.8	27.0	0.0	0.0	0.4
Total		0.0	0.1	0.0	0.1	0.4	0.1	0.1	0.5	2.3	36.0	0.0	0.0	0.6	
2001	Cases	Male	0	0	0	15	37	1	2	13	103	13	0	0	184
		Female	1	0	0	0	9	0	1	7	76	9	0	0	103
		Unspecified	0	0	0	0	0	0	0	0	0	0	0	0	0
		Total	1	0	0	15	46	1	3	20	179	22	0	0	287
	Rates	Male	0.0	0.0	0.0	0.4	0.6	0.2	0.4	0.8	5.1	84.7	0.0	0.0	1.2
		Female	0.4	0.0	0.0	0.0	0.1	0.0	0.2	0.5	3.7	60.8	0.0	0.0	0.7

**Reported cases and rates<sup>1</sup> of infectious syphilis<sup>2</sup> by province/territory and sex, 1993 to 2010<sup>3</sup>**

**Centre for Communicable Diseases and Infection Control  
Public Health Agency of Canada**

Note: Footnotes contain important information for the interpretation of the data within these tables. Review is strongly encouraged.

Data were verified with provinces and territories as of November, 2011.

Year	Sex	Infectious Syphilis <sup>2</sup>												
		NL	PE / NS	NB	QC	ON	MB	SK	AB	BC	YT	NT	NU <sup>4</sup>	Total
	Total	0.2	0.0	0.0	0.2	0.4	0.1	0.3	0.7	4.4	73.0	0.0	0.0	0.9



## Reported cases and rates<sup>1</sup> of infectious syphilis<sup>2</sup> by province/territory and sex, 1993 to 2010<sup>3</sup>

Centre for Communicable Diseases and Infection Control

Public Health Agency of Canada

Note: Footnotes contain important information for the interpretation of the data within these tables. Review is strongly encouraged.

Data were verified with provinces and territories as of November, 2011.

Year	Sex	Infectious Syphilis <sup>2</sup>													
		NL	PE / NS	NB	QC	ON	MB	SK	AB	BC	YT	NT	NU <sup>4</sup>	Total	
2002	Cases	Male	0	1	1	47	207	4	0	9	113	4	0	0	386
		Female	0	0	1	0	12	2	1	5	72	2	0	0	95
		Unspecified	0	0	0	0	0	0	0	0	1	0	0	0	1
		Total	0	1	2	47	219	6	1	14	186	6	0	0	482
	Rates	Male	0.0	0.2	0.3	1.3	3.5	0.7	0.0	0.6	5.6	25.9	0.0	0.0	2.5
		Female	0.0	0.0	0.3	0.0	0.2	0.3	0.2	0.3	3.5	13.4	0.0	0.0	0.6
		Total	0.0	0.1	0.3	0.6	1.8	0.5	0.1	0.4	4.5	19.8	0.0	0.0	1.5
2003	Cases	Male	1	10	3	148	362	21	5	33	172	3	0	0	758
		Female	0	0	1	5	24	16	1	9	89	2	1	0	148
		Unspecified	0	0	0	1	0	0	0	0	1	0	0	0	2
		Total	1	10	4	154	386	37	6	42	262	5	1	0	908
	Rates	Male	0.4	1.9	0.8	4.0	6.0	3.6	1.0	2.0	8.4	19.0	0.0	0.0	4.8
		Female	0.0	0.0	0.3	0.1	0.4	2.7	0.2	0.6	4.3	13.2	4.9	0.0	0.9
		Total	0.2	0.9	0.5	2.1	3.2	3.2	0.6	1.3	6.4	16.1	2.3	0.0	2.9
2004	Cases	Male	0	14	3	218	428	17	2	58	227	1	1	0	969
		Female	0	0	1	14	16	6	0	16	78	0	1	1	133
		Unspecified	0	0	0	1	1	0	0	0	0	0	0	0	2
		Total	0	14	4	233	445	23	2	74	305	1	2	1	1104
	Rates	Male	0.0	2.7	0.8	5.9	7.0	2.9	0.4	3.5	11.0	6.2	4.5	0.0	6.1
		Female	0.0	0.0	0.3	0.4	0.3	1.0	0.0	1.0	3.7	0.0	4.8	7.0	0.8
		Total	0.0	1.3	0.5	3.1	3.6	2.0	0.2	2.3	7.3	3.2	4.6	3.3	3.5
2005	Cases	Male	2	2	1	249	338	47	1	85	202	1	0	0	928
		Female	0	0	0	8	19	4	1	51	85	0	0	0	168
		Unspecified <sup>5</sup>	0	0	0	0	0	0	0	0	1	0	0	0	1
		Total	2	2	1	257	357	51	2	136	288	1	0	0	1097
	Rates	Male	0.8	0.4	0.3	6.6	5.5	8.0	0.2	5.1	9.7	6.1	0.0	0.0	5.8
		Female	0.0	0.0	0.0	0.2	0.3	0.7	0.2	3.1	4.0	0.0	0.0	0.0	1.0
		Total	0.4	0.2	0.1	3.4	2.8	4.3	0.2	4.1	6.9	3.1	0.0	0.0	3.4
2006	Cases	Male	0	2	0	372	343	26	14	151	254	0	0	0	1162
		Female	0	0	0	6	26	0	3	67	77	0	0	0	179
		Unspecified <sup>5</sup>	0	0	0	0	0	0	0	0	0	0	0	0	0
		Total	0	2	0	378	369	26	17	218	331	0	0	0	1341
	Rates	Male	0.0	0.4	0.0	9.8	5.5	4.4	2.8	8.7	12.1	0.0	0.0	0.0	7.2
		Female	0.0	0.0	0.0	0.2	0.4	0.0	0.6	4.0	3.6	0.0	0.0	0.0	1.1

## Reported cases and rates<sup>1</sup> of infectious syphilis<sup>2</sup> by province/territory and sex, 1993 to 2010<sup>3</sup>

Centre for Communicable Diseases and Infection Control

Public Health Agency of Canada

Note: Footnotes contain important information for the interpretation of the data within these tables. Review is strongly encouraged.

Data were verified with provinces and territories as of November, 2011.

Year	Sex	Infectious Syphilis <sup>2</sup>													
		NL	PE / NS	NB	QC	ON	MB	SK	AB	BC	YT	NT	NU <sup>4</sup>	Total	
2007	Total	0.0	0.2	0.0	5.0	2.9	2.2	1.7	6.4	7.8	0.0	0.0	0.0	4.1	
	Cases	Male	2	1	2	241	387	26	9	176	243	0	0	0	1087
		Female	1	1	0	7	20	1	1	74	55	0	0	0	160
		Unspecified <sup>5</sup>	0	0	0	0	0	0	0	0	1	0	0	0	1
		Total	3	2	2	248	407	27	10	250	299	0	0	0	1248
	Rates	Male	0.8	0.2	0.5	6.3	6.1	4.4	1.8	9.8	11.4	0.0	0.0	0.0	6.7
		Female	0.4	0.2	0.0	0.2	0.3	0.2	0.2	4.3	2.5	0.0	0.0	0.0	1.0
Total		0.6	0.2	0.3	3.2	3.2	2.3	1.0	7.1	6.9	0.0	0.0	0.0	3.8	
2008	Cases	Male	6	0	5	370	415	10	8	144	218	0	26	0	1202
		Female	2	0	1	8	34	3	4	101	16	0	21	0	190
		Unspecified <sup>5</sup>	0	0	0	1	1	0	0	0	1	0	0	0	3
		Total	8	0	6	379	450	13	12	245	235	0	47	0	1395
	Rates	Male	2.4	0.0	1.4	9.6	6.5	1.7	1.6	7.8	10.0	0.0	114.8	0.0	7.3
		Female	0.8	0.0	0.3	0.2	0.5	0.5	0.8	5.7	0.7	0.0	99.7	0.0	1.1
		Total	1.6	0.0	0.8	4.9	3.5	1.1	1.2	6.8	5.4	0.0	107.5	0.0	4.2
2009 <sup>6</sup>	Cases	Male	3	23	8	356	689	8	16	189	188	3	23	0	1506
		Female	0	1	1	17	22	0	7	90	28	0	18	0	184
		Unspecified <sup>5</sup>	0	0	0	1	0	0	0	0	0	0	0	0	1
		Total	3	24	9	374	711	8	23	279	216	3	41	0	1691
	Rates	Male	1.2	4.4	2.2	9.2	10.7	1.3	3.1	10.1	8.5	17.5	101.8	0.0	9.0
		Female	0.0	0.2	0.3	0.4	0.3	0.0	1.4	5.0	1.2	0.0	85.4	0.0	1.1
		Total	0.6	2.2	1.2	4.8	5.4	0.7	2.2	7.6	4.8	8.9	93.9	0.0	5.0
2010 <sup>6</sup>	Cases	Male	4	20	32	511	728	9	27	114	141	1	3	0	1590
		Female	0	1	2	26	46	8	9	54	14	0	5	0	165
		Unspecified <sup>5</sup>	0	0	0	2	0	0	0	0	0	0	0	0	2
		Total	4	21	34	539	774	17	36	168	155	1	8	0	1757
	Rates	Male	1.6	3.8	8.7	13.0	11.2	1.5	5.2	6.0	6.3	5.7	13.3	0.0	9.4
		Female	0.0	0.2	0.5	0.7	0.7	1.3	1.7	3.0	0.6	0.0	23.7	0.0	1.0
		Total	0.8	1.9	4.5	6.8	5.9	1.4	3.4	4.5	3.4	2.9	18.3	0.0	5.2

<sup>1</sup> Rate per 100,000 population. Population estimates provided by Statistics Canada. (Source: Statistics Canada, Demography Division, Demographic Estimates Section, July Population Estimates, 1997-2005 final intercensal estimates, 2006-2007 final postcensal estimates, 2008-2009 updated postcensal estimates, 2010 preliminary postcensal estimates.)

<sup>2</sup> Infectious syphilis includes primary, secondary and early latent stages.

## Reported cases and rates<sup>1</sup> of infectious syphilis<sup>2</sup> by province/territory and sex, 1993 to 2010<sup>3</sup>

Centre for Communicable Diseases and Infection Control

Public Health Agency of Canada

Note: Footnotes contain important information for the interpretation of the data within these tables. Review is strongly encouraged.

Data were verified with provinces and territories as of November, 2011.

Year	Sex	Infectious Syphilis <sup>2</sup>											
		NL	PE / NS	NB	QC	ON	MB	SK	AB	BC	YT	NT	NU <sup>4</sup>

<sup>3</sup> 2010 data are preliminary and changes are anticipated. Data were verified with provinces and territories as of November, 2011.

<sup>4</sup> Nunavut did not officially become a territory until 1999; prior to 1999, data for Nunavut was combined with Northwest Territories.

<sup>5</sup> Unspecified sex includes transgender cases.

<sup>6</sup> Due to small counts, NS and PE Cases and Rates have been combined.

**Source:** Centre for Communicable Diseases and Infection Control, Public Health Agency of Canada, 2012.

**Note:** Small variability may exist between data reported by the provinces/territories and the Public Health Agency of Canada. Provincial/territorial data are definitive should a discrepancy exist.

**Reported cases and rates<sup>1</sup> of infectious syphilis<sup>2</sup> by age group and sex, 1993 to 2010<sup>3</sup>**  
**Centre for Communicable Diseases and Infection Control**  
**Public Health Agency of Canada**

Note: Footnotes contain important information for the interpretation of the data within these tables. Review is strongly encouraged.  
**Data were verified with provinces and territories as of November, 2011.**

Year	Sex	Infectious Syphilis <sup>2</sup>												
		Age group (years)											NS	Total
		<1	1-4	5-9	10-14	15-19	20-24	25-29	30-39	40-59	60+			
1993	Cases	Male	0	0	0	0	2	14	16	30	29	6	0	97
		Female	1	0	0	0	13	24	10	15	7	6	0	76
		Unspecified	0	0	0	0	1	0	0	1	1	0	1	4
		Total	1	0	0	0	16	38	26	46	37	12	1	177
	Rates	Male	0.0	0.0	0.0	0.0	0.2	1.3	1.4	1.2	0.9	0.3		0.7
		Female	0.5	0.0	0.0	0.0	1.4	2.4	0.9	0.6	0.2	0.2		0.5
Total		0.3	0.0	0.0	0.0	0.8	1.9	1.1	0.9	0.5	0.3		0.6	
1994	Cases	Male	0	0	0	0	3	15	19	31	32	12	0	112
		Female	0	0	0	0	9	17	14	15	11	5	0	71
		Unspecified	0	0	0	0	0	1	1	1	0	1	1	5
		Total	0	0	0	0	12	33	34	47	43	18	1	188
	Rates	Male	0.0	0.0	0.0	0.0	0.3	1.4	1.7	1.2	0.9	0.6		0.8
		Female	0.0	0.0	0.0	0.0	0.9	1.7	1.3	0.6	0.3	0.2		0.5
Total		0.0	0.0	0.0	0.0	0.6	1.6	1.5	0.9	0.6	0.4		0.6	
1995	Cases	Male	0	0	0	0	1	16	13	31	27	6	1	95
		Female	0	0	0	0	9	11	10	14	8	0	0	52
		Unspecified	0	0	0	0	0	0	0	0	0	0	0	0
		Total	0	0	0	0	10	27	23	45	35	6	1	147
	Rates	Male	0.0	0.0	0.0	0.0	0.1	1.6	1.2	1.2	0.7	0.3		0.7
		Female	0.0	0.0	0.0	0.0	0.9	1.1	0.9	0.5	0.2	0.0		0.4
Total		0.0	0.0	0.0	0.0	0.5	1.3	1.0	0.9	0.5	0.1		0.5	
1996	Cases	Male	0	0	0	0	3	7	12	28	20	3	1	74
		Female	0	0	0	0	6	8	12	12	5	2	0	45
		Unspecified	0	0	0	0	0	0	0	0	0	0	0	0
		Total	0	0	0	0	9	15	24	40	25	5	1	119
	Rates	Male	0.0	0.0	0.0	0.0	0.3	0.7	1.1	1.1	0.5	0.1		0.5
		Female	0.0	0.0	0.0	0.0	0.6	0.8	1.1	0.5	0.1	0.1		0.3

**Reported cases and rates<sup>1</sup> of infectious syphilis<sup>2</sup> by age group and sex, 1993 to 2010<sup>3</sup>**  
**Centre for Communicable Diseases and Infection Control**  
**Public Health Agency of Canada**

Note: Footnotes contain important information for the interpretation of the data within these tables. Review is strongly encouraged.  
**Data were verified with provinces and territories as of November, 2011.**

Year	Sex	Infectious Syphilis <sup>2</sup>												
		Age group (years)											NS	Total
		<1	1-4	5-9	10-14	15-19	20-24	25-29	30-39	40-59	60+			
	Total	0.0	0.0	0.0	0.0	0.4	0.7	1.1	0.8	0.3	0.1		0.4	
1997	Cases	Male	0	0	0	0	1	3	8	26	26	1	0	65
		Female	0	0	0	0	3	8	13	17	8	1	0	50
		Unspecified	0	0	0	0	0	0	0	0	0	0	0	0
		Total	0	0	0	0	4	11	21	43	34	2	0	115
	Rates	Male	0.0	0.0	0.0	0.0	0.1	0.3	0.7	1.0	0.7	0.0		0.4
		Female	0.0	0.0	0.0	0.0	0.3	0.8	1.2	0.7	0.2	0.0		0.3
		Total	0.0	0.0	0.0	0.0	0.2	0.5	1.0	0.8	0.4	0.0		0.4
1998	Cases	Male	0	0	0	0	2	4	13	41	39	11	0	110
		Female	0	0	0	0	6	8	10	26	14	3	0	67
		Unspecified	0	0	0	0	0	0	0	0	0	0	0	0
		Total	0	0	0	0	8	12	23	67	53	14	0	177
	Rates	Male	0.0	0.0	0.0	0.0	0.2	0.4	1.2	1.6	1.0	0.5		0.7
		Female	0.0	0.0	0.0	0.0	0.6	0.8	0.9	1.0	0.3	0.1		0.4
		Total	0.0	0.0	0.0	0.0	0.4	0.6	1.1	1.3	0.7	0.3		0.6
1999	Cases	Male	0	0	0	0	1	13	11	36	41	11	0	113
		Female	0	0	0	0	8	12	14	19	22	3	0	78
		Unspecified	0	0	0	0	0	0	0	0	0	0	0	0
		Total	0	0	0	0	9	25	25	55	63	14	0	191
	Rates	Male	0.0	0.0	0.0	0.0	0.1	1.2	1.0	1.4	1.0	0.5		0.7
		Female	0.0	0.0	0.0	0.0	0.8	1.2	1.3	0.8	0.5	0.1		0.5
		Total	0.0	0.0	0.0	0.0	0.4	1.2	1.2	1.1	0.8	0.3		0.6
2000	Cases	Male	0	0	0	0	0	3	12	44	44	11	0	114
		Female	0	0	0	0	5	9	8	23	13	2	0	60
		Unspecified	0	0	0	0	0	0	0	0	0	0	0	0
		Total	0	0	0	0	5	12	20	67	57	13	0	174
	Rates	Male	0.0	0.0	0.0	0.0	0.0	0.3	1.1	1.8	1.0	0.5		0.7
		Female	0.0	0.0	0.0	0.0	0.5	0.9	0.8	0.9	0.3	0.1		0.4

**Reported cases and rates<sup>1</sup> of infectious syphilis<sup>2</sup> by age group and sex, 1993 to 2010<sup>3</sup>**  
**Centre for Communicable Diseases and Infection Control**  
**Public Health Agency of Canada**

Note: Footnotes contain important information for the interpretation of the data within these tables. Review is strongly encouraged.  
**Data were verified with provinces and territories as of November, 2011.**

Year	Sex	Infectious Syphilis <sup>2</sup>											
		Age group (years)											
		<1	1-4	5-9	10-14	15-19	20-24	25-29	30-39	40-59	60+	NS	Total
	Total	0.0	0.0	0.0	0.0	0.2	0.6	0.9	1.3	0.7	0.3		0.6

**Reported cases and rates<sup>1</sup> of infectious syphilis<sup>2</sup> by age group and sex, 1993 to 2010<sup>3</sup>**  
**Centre for Communicable Diseases and Infection Control**  
**Public Health Agency of Canada**

Note: Footnotes contain important information for the interpretation of the data within these tables. Review is strongly encouraged.  
**Data were verified with provinces and territories as of November, 2011.**

Year	Sex	Infectious Syphilis <sup>2</sup>												
		Age group (years)											NS	Total
		<1	1-4	5-9	10-14	15-19	20-24	25-29	30-39	40-59	60+			
2001	Cases	Male	0	0	0	0	4	21	20	62	60	16	1	184
		Female	0	0	0	0	10	25	21	23	22	2	0	103
		Unspecified	0	0	0	0	0	0	0	0	0	0	0	0
		Total	0	0	0	0	14	46	41	85	82	18	1	287
	Rates	Male	0.0	0.0	0.0	0.0	0.4	1.9	1.9	2.5	1.4	0.7		1.2
		Female	0.0	0.0	0.0	0.0	1.0	2.4	2.1	1.0	0.5	0.1		0.7
Total		0.0	0.0	0.0	0.0	0.7	2.2	2.0	1.7	0.9	0.3		0.9	
2002	Cases	Male	0	0	0	0	6	21	31	170	146	12	0	386
		Female	0	0	0	0	6	24	27	23	14	1	0	95
		Unspecified	0	0	0	0	0	0	0	0	0	0	1	1
		Total	0	0	0	0	12	45	58	193	160	13	1	482
	Rates	Male	0.0	0.0	0.0	0.0	0.5	1.9	2.9	7.0	3.2	0.5		2.5
		Female	0.0	0.0	0.0	0.0	0.6	2.3	2.6	1.0	0.3	0.0		0.6
Total		0.0	0.0	0.0	0.0	0.6	2.1	2.8	4.0	1.8	0.2		1.5	
2003	Cases	Male	0	0	0	0	8	32	80	298	307	33	0	758
		Female	0	0	0	0	12	35	34	40	23	4	0	148
		Unspecified	0	0	0	0	0	1	1	0	0	0	0	2
		Total	0	0	0	0	20	68	115	338	330	37	0	908
	Rates	Male	0.0	0.0	0.0	0.0	0.7	2.9	7.5	12.6	6.6	1.4		4.8
		Female	0.0	0.0	0.0	0.0	1.2	3.3	3.3	1.7	0.5	0.1		0.9
Total		0.0	0.0	0.0	0.0	0.9	3.1	5.5	7.2	3.6	0.7		2.9	
2004	Cases	Male	0	0	0	0	7	52	79	322	466	42	1	969
		Female	0	0	0	0	8	30	33	30	28	4	0	133
		Unspecified	0	0	0	0	0	0	0	0	1	0	1	2
		Total	0	0	0	0	15	82	112	352	495	46	2	1104
	Rates	Male	0.0	0.0	0.0	0.0	0.6	4.6	7.4	13.9	9.8	1.7		6.1
		Female	0.0	0.0	0.0	0.0	0.8	2.8	3.1	1.3	0.6	0.1		0.8
Total		0.0	0.0	0.0	0.0	0.7	3.7	5.3	7.6	5.2	0.8		3.5	

## Reported cases and rates<sup>1</sup> of infectious syphilis<sup>2</sup> by age group and sex, 1993 to 2010<sup>3</sup>

Centre for Communicable Diseases and Infection Control  
Public Health Agency of Canada

Note: Footnotes contain important information for the interpretation of the data within these tables. Review is strongly encouraged.

**Data were verified with provinces and territories as of November, 2011.**

Year	Sex	Infectious Syphilis <sup>2</sup>												
		Age group (years)											NS	Total
		<1	1-4	5-9	10-14	15-19	20-24	25-29	30-39	40-59	60+			
2005	Cases	Male	0	0	0	0	11	71	96	284	430	36	0	928
		Female	0	0	0	0	19	33	39	37	37	3	0	168
		Unspecified <sup>4</sup>	0	0	0	0	0	1	0	0	0	0	0	1
		Total	0	0	0	0	30	105	135	321	467	39	0	1097
	Rates	Male	0.0	0.0	0.0	0.0	1.0	6.2	8.9	12.4	8.9	1.4		5.8
		Female	0.0	0.0	0.0	0.0	1.8	3.0	3.7	1.6	0.8	0.1		1.0
Total		0.0	0.0	0.0	0.0	1.4	4.7	6.3	7.1	4.8	0.7		3.4	
2006	Cases	Male	0	0	0	1	10	88	93	355	559	56	0	1162
		Female	0	0	0	0	14	36	27	56	42	4	0	179
		Unspecified <sup>4</sup>	0	0	0	0	0	0	0	0	0	0	0	0
		Total	0	0	0	1	24	124	120	411	601	60	0	1341
	Rates	Male	0.0	0.0	0.0	0.1	0.9	7.6	8.5	15.7	11.4	2.1		7.2
		Female	0.0	0.0	0.0	0.0	1.3	3.3	2.5	2.5	0.9	0.1		1.1
Total		0.0	0.0	0.0	0.0	1.1	5.5	5.5	9.1	6.1	1.0		4.1	
2007	Cases	Male	0	0	0	1	14	73	110	321	518	49	1	1087
		Female	0	0	0	2	15	26	35	42	40	0	0	160
		Unspecified <sup>4</sup>	0	0	0	0	0	0	0	1	0	0	0	1
		Total	0	0	0	3	29	99	145	364	558	49	1	1248
	Rates	Male	0.0	0.0	0.0	0.1	1.2	6.3	9.8	14.2	10.5	1.8		6.7
		Female	0.0	0.0	0.0	0.2	1.4	2.3	3.2	1.9	0.8	0.0		1.0
Total		0.0	0.0	0.0	0.1	1.3	4.4	6.5	8.1	5.6	0.8		3.8	
2008	Cases	Male	0	0	0	0	14	104	150	309	571	54	0	1202
		Female	0	0	0	1	23	40	34	48	42	2	0	190
		Unspecified <sup>4</sup>	0	0	0	0	0	0	0	1	1	0	1	3
		Total	0	0	0	1	37	144	184	358	614	56	1	1395
	Rates	Male	0.0	0.0	0.0	0.0	1.2	8.9	13.0	13.6	11.4	1.9		7.3
		Female	0.0	0.0	0.0	0.1	2.1	3.6	3.0	2.1	0.8	0.1		1.1
Total		0.0	0.0	0.0	0.0	1.6	6.3	8.0	7.9	6.1	0.9		4.2	



**Reported cases and rates<sup>1</sup> of infectious syphilis<sup>2</sup> by age group and sex, 1993 to 2010<sup>3</sup>**  
**Centre for Communicable Diseases and Infection Control**  
**Public Health Agency of Canada**

Note: Footnotes contain important information for the interpretation of the data within these tables. Review is strongly encouraged.  
**Data were verified with provinces and territories as of November, 2011.**

Year	Sex	Infectious Syphilis <sup>2</sup>												
		Age group (years)											NS	Total
		<1	1-4	5-9	10-14	15-19	20-24	25-29	30-39	40-59	60+			
2009	Cases	Male	0	0	0	0	44	152	211	392	651	55	1	1506
		Female	1	0	0	0	13	41	38	43	45	3	0	184
		Unspecified <sup>4</sup>	0	0	0	0	0	0	0	0	1	0	0	1
		Total	1	0	0	0	57	193	249	435	697	58	1	1691
	Rates	Male	0.0	0.0	0.0	0.0	3.8	12.7	17.8	17.1	12.9	1.8		9.0
		Female	0.5	0.0	0.0	0.0	1.2	3.6	3.3	1.9	0.9	0.1		1.1
Total		0.3	0.0	0.0	0.0	2.5	8.3	10.6	9.5	6.9	0.9		5.0	
2010	Cases	Male	0	0	0	0	45	157	184	373	741	90	0	1590
		Female	0	0	0	0	14	40	30	44	35	2	0	165
		Unspecified <sup>4</sup>	0	0	0	0	0	1	0	1	0	0	0	2
		Total	0	0	0	0	59	198	214	418	776	92	0	1757
	Rates	Male	0.0	0.0	0.0	0.0	3.9	12.9	15.2	16.2	14.6	2.9		9.4
		Female	0.0	0.0	0.0	0.0	1.3	3.5	2.5	1.9	0.7	0.1		1.0
Total		0.0	0.0	0.0	0.0	2.6	8.4	8.9	9.1	7.7	1.4		5.2	

<sup>1</sup> Rate per 100,000 population. Population estimates provided by Statistics Canada. (Source: Statistics Canada, Demography Division, Demographic Estimates Section, July Population Estimates, 1997-2005 final intercensal estimates, 2006-2007 final postcensal estimates, 2008-2009 updated postcensal estimates, 2010 preliminary postcensal estimates.)

<sup>2</sup> Infectious syphilis includes primary, secondary and early latent stages.

<sup>3</sup> 2010 data are preliminary and changes are anticipated. Data were verified with provinces and territories as of November, 2011.

<sup>4</sup> Unspecified sex includes transgender cases.

**Source:** Centre for Communicable Diseases and Infection Control, Public Health Agency of Canada, 2012.

**Note:** Small variability may exist between data reported by the provinces/territories and the Public Health Agency of Canada. Provincial/territorial data are definitive should a discrepancy exist.